


AD-A129 034 MEASUREMENT OF COMPRESSION OF THE MODIFIED READ CODE II 1/1
(U) DELTA INFORMATION SYSTEMS INC JENKINTOWN PA
R SCHAPHORST ET AL. 01 NOV 82 NCS-TIB-82-7


UNCLASSIFIED

F/G 9/2

NL




END
DATE FILMED
FILM #
OTIC



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

NCS TIB 82-7



NATIONAL COMMUNICATIONS SYSTEM

AD A129034

TECHNICAL INFORMATION BULLETIN
82-7

MEASUREMENT OF COMPRESSION
OF THE
MODIFIED READ CODE II

NOVEMBER 1982

DTIC
SELECTED
JUN 3 1983
S D

APPROVED FOR PUBLIC RELEASE
DISTRIBUTION UNLIMITED

83 06 01 2

DTIC FILE COPY

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER NCS-TIB-82-7	2. GOVT ACCESSION NO. AD A129034	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Measurement of Compression of the Modified READ Code II	5. TYPE OF REPORT & PERIOD COVERED Final Report	
7. AUTHOR(s) Richard Schaphorst Stephen Urban	6. PERFORMING ORG. REPORT NUMBER DCA100-80-C-0042	
9. PERFORMING ORGANIZATION NAME AND ADDRESS Delta Information Systems 310 Cottman Street Jenkintown, PA 19046	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS	
11. CONTROLLING OFFICE NAME AND ADDRESS National Communications System ATTN: NCS-TS Washington, DC 20305	12. REPORT DATE NOVEMBER 1, 1982	
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)	13. NUMBER OF PAGES 75	
	15. SECURITY CLASS. (of this report) UNCLASSIFIED	
	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE	
16. DISTRIBUTION STATEMENT (of this Report) Approved for Public Release; Distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Coding, Compression, Simulation, Facsimile, Modified READ		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The report describes the work on two basic tasks as listed below! Task 1 - Measure Modified READ II Compression It is generally agreed that the Modified READ II code is a prime candidate for use in Group 4 facsimile equipment. The Modified READ II code is the same as the code defined in CCITT Recommendation T.4 with the following exceptions.		

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

- K-Factor 00
- Minimum Scan Line Time 0
- No end of line coded between scan lines
- Two end of line codes at the end of a transmitted page as part of Task 1, 30 computer simulation runs were performed for every combination of the following three parameters.
 - o Resolution (Lines/inch) - 200, 240, 300, 400, 480
 - o CCITT Image No. - 1, 5, 7
 - o Wrap Around - In, Out

Wrap Around refers to the technique where a run length is not necessarily terminated at the end of a scan line. Instead, the coding process is continuous from line to line.

Delta Information Systems measured compression two different ways as listed below:

1. Compression Ratio - Total image pels/Transmitted bits
2. Total transmitted bits

Task 2 - Measure Scan Line Statistics for the Modified READ Code II

Under this task, Delta Information Systems measured the bits/line statistics for the fifteen images processed in Task 1 - 200, 240, 300, 400, and 480 lines/inch; CCITT Images 1, 5, 7. The statistical data includes the minimum bits/line, maximum bits/line, average bits/line, and standard deviation.

Accession For	
NTIS GRA&I <input checked="" type="checkbox"/>	
DTIC TAB <input type="checkbox"/>	
Unannounced <input type="checkbox"/>	
Justification	
By _____	
Distribution/ _____	
Availability Codes	
Dist	Avail and/or Special
A	



UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

NCS TECHNICAL INFORMATION BULLETIN 82-7

MEASUREMENT OF COMPRESSION
OF THE MODIFIED READ CODE II

NOVEMBER 1982

PROJECT OFFICER

APPROVED FOR PUBLICATION:

Marshall L Cain

DENNIS BODSON
Senior Electronics Engineer
Office of NCS Technology
and Standards

MARSHALL L. CAIN
Assistant Manager
Office of Technology
and Standards

FOREWORD

Among the responsibilities assigned to the Office of the Manager, National Communications System, is the management of the Federal Telecommunication Standards Program. Under this program, the NCS, with the assistance of the Federal Telecommunication Standards Committee identifies, develops, and coordinates proposed Federal Standards which either contribute to the interoperability of functionally similar Federal telecommunication systems or to the achievement of a compatible and efficient interface between computer and telecommunication systems. In developing and coordinating these standards a considerable amount of effort is expended in initiating and pursuing joint standards development efforts with appropriate technical committees of the Electronic Industries Association, the American National Standards Institute, the International Organization for Standardization, and the International Telegraph and Telephone Consultative Committee of the International Telecommunication Union. This Technical Information Bulletin presents an overview of an effort which is contributing to the development of compatible Federal, national, and international standards in the area of digital facsimile standards. It has been prepared to inform interested Federal activities of the progress of these efforts. Any comments, inputs or statements of requirements which could assist in the advancement of this work are welcome and should be addressed to:

Office of the Manager
National Communications System
ATTN: NCS-TS
Washington, D.C. 20305
(202) 692-2124



DELTA INFORMATION SYSTEMS, INC.
310 COTTMAN STREET JENKINTOWN, PA 19046
(215) 572-6640

MEASUREMENT OF COMPRESSION
OF THE MODIFIED READ CODE II

FINAL REPORT

November 1, 1982

Modification P0006 to
Contract No. DCA100-80-C-0042

Submitted to:

NATIONAL COMMUNICATIONS SYSTEM
OFFICE OF TECHNOLOGY AND STANDARDS
Washington, D.C. 20305

Contracting Agency:
DEFENSE COMMUNICATIONS AGENCY

Submitted by:

DELTA INFORMATION SYSTEMS, INC.
310 Cottman Street
Jenkintown, Pa. 19046

MEASUREMENT OF COMPRESSION OF THE
MODIFIED READ CODE II

TABLE OF CONTENTS

	<u>Page</u>
1.0 Introduction	1.0
2.0 Modified READ Code II Algorithm	2.0
3.0 Computer Program Overview	3.0
4.0 Compression Data for the Modified READ Code II	4.0
5.0 Scan Line Statistics for the Modified READ Code II . .	5.0

APPENDICES

- A. Code Listing for the Program to Simulate Modified READ II
without Wrap-Around
- B. Code Listing for the Program to Simulate Modified READ II
with Wrap-Around

1.0 INTRODUCTION

This document summarizes work performed by Delta Information Systems, Inc. for the Office of Technology and Standards of the National Communications System, an organization of the U.S. Government, under Modification P00006 to Contract DCA100-80-C-0042. The Office of Technology and Standards, headed by National Communications System Assistant Manager Marshall L. Cain, is responsible for the management of the Federal Telecommunications Standards Program, which develops telecommunication standards whose use is mandatory by all Federal agencies.

Under the basic contract DCA100-80-C-0042 Delta Information Systems has analyzed alternative resolutions for Group 4 facsimile. The final report for this study was issued in August 1982. As part of this investigation four test documents were scanned with five candidate resolutions, and the results of all twenty scans were printed. The test documents and resolutions used in this study are listed below.

<u>Test Images</u>	<u>Resolutions</u>
CCITT Image No. 1	200 lines/inch
CCITT Image No. 5	240 lines/inch
CCITT Image No. 7	300 lines/inch
Legibility Test Chart	400 lines/inch
	480 lines/inch

After these 20 images were printed it was noted that several pages had artifacts and noisy pels around the edges. These artifacts were removed on subsequent projects in preparation for

the subject simulation study.

The subject project has two basic tasks as listed below.

Task 1 - Measure Modified READ II Compression:

It is generally agreed that the Modified READ II code is a prime candidate for use in Group 4 facsimile equipment. The Modified READ II code is the same as the code defined in CCITT Recommendation T.4 with the following exceptions.

- K-Factor 00
- Minimum Scan Line Time 0
- No end of line codes between scan lines
- Two end of line codes at the end of a transmitted page

As part of Task 1, 30 computer simulation runs were performed for every combination of the following three parameters:

- , o Resolution (lines/inch) - 200, 240, 300, 400, 480;
- , o CCITT Image No. - 1, 5, 7; and
- , o Wrap Around - In, Out.

Wrap Around refers to the technique where a run length is not necessarily terminated at the end of a scan line. Instead, the coding process is continuous from line to line.

Delta Information Systems measured compression two different ways as listed below:

1. Compression Ratio - Total image pels/Transmitted bits,
2. Total transmitted bits

Task 2 - Measure Scan Line Statistics for the Modified READ Code II:

Under this task, Delta Information Systems measured the bits/line statistics for the fifteen images processed in Task 1, 200, 240, and

~~300, 400, and 480 lines/inch; CCITT Images 1, 5, 7.~~ The statistical data includes the minimum bits/line, maximum bits/line, average bits/line, and standard deviation.

The test results for tasks 1 and 2 are included in sections 4.0 and 5.0 respectively. Section 2.0 describes the wrap-around algorithm which was simulated while section 3.0 provides an overview of the computer program used in the simulation. Appendices A and B contain the code listings for the program to simulate the Mod READ II code with and without wrap-around respectively.

2.0 MODIFIED READ CODE II ALGORITHM

No Wrap-Around

The algorithm for the basic Modified READ Code is defined in CCITT Recommendation T.4 entitled "Standardization of Group 3 Facsimile Apparatus for Document Transmission". It is generally agreed that a strong candidate for the Group 4 coding technique is a variation of the Group 3 Modified READ Code. Table 2-1 is a list of the parameters which differ for the two algorithms.

Table 2-1

Comparison of Group 3 Modified READ Code and Potential Group 4 Modified READ II Code

<u>Group 3 T.4 Recommendation</u>	<u>Modified READ Code II</u>
Minimum Scan Line Time	20 MS
K-Factor @ 200 lpi	4
End of Line Code between Scan Lines	Yes
No. of EOL Codes at End of Page	6
	2

Note that in the MRCII code EOL codes are used to change from the one-dimensional coding to the two-dimensional coding or vice versa in addition to two EOL's at the end of the page. This means that for the infinite K factor the first two code lines are preceded by EOL's.

Wrap-Around

The Wrap-Around option provides for images to be treated as a continuous pel stream in which the rightmost pel on a line is followed immediately by the leftmost pel on the next scan line. Otherwise the algorithm is the same as that for no wrap-around. Both the reference line and the coding line continue into the following line with no artificial transition added at line boundaries. This procedure is repeated until end-of-page is reached. That is, if the reference line is n and the coding line is $n+1$, then the reference line is continued into $n+1$ and the coding line is continued into $n+2$. One consequence of this procedure is that long runs in horizontal mode are generated for a sequence of all one-color lines.

3.0 COMPUTER PROGRAM OVERVIEW

The computer programs used to measure the compression of the Mod READ II code are described in this section. Two different programs have been written, one for coding without wrap-around and the other with wrap-around. Code listings of these programs appear in appendices.

3.1 Computer Program without Wrap-Around

This program simulates both the encode and decode processes. To initiate the simulation process, the operator must type in a set of input parameters. The insertion of the input parameters is accomplished on an interactive basis with prompting. After the data has been entered and the measurement parameters have been selected, the first step in the simulation process is the "ENCODE" function. This function detects color changes in the input data and constructs the appropriate code word by table look-up or algorithm. The encoded signal is reversed and fed to the decode function. The decoder basically performs the inverse function of the encoder, generating a series of lines of image pels. The simulation process provides a printout of all the computed performance data as well as a summary tabulation of the input parameters.

The following section describes the structure of the computer program written to simulate the MRCII code. A brief description of each of the functions/subroutines follows:

MRC2

The MRC2 program controls the decoding process. The simulation process is "decode driven;" that is, the main program controls the decode process which decodes a buffered line of compressed data. When the contents of the buffer have been used up, a new line of data is encoded. The MRC2 program also controls parameter input via the INIT routines, and reports computed results.

INIT2

The INIT2 subroutine controls parameter input interactively, prints a summary of the input parameters, and initializes variables.

GETL2

The GETL2 subroutine retrieves a number of requested bits from the coded line and delivers the bits packed into a word (right justified). End-of-line codes (EOL) are detected. If the number of coded bits requested by the calling program is not available, the ENCD2 subroutine is called to provide them.

ENCD2

This subroutine supplies a line of compressed data. Color transitions on an input line are detected bit-by-bit. Both one-dimensional and two-dimensional lines are encoded depending on the parameter K. The code word is generated by table look-up, or algorithm, as appropriate, and added to the coded line buffer via CODELN and/or CODENG.

CODELN

The subroutine CODELN is called by ENCDE to look up the

Modified Huffman Code (MHC) corresponding to a given run length and color, and add the code word to the coded line buffer.

CODENG

The subroutine CODENG performs a similar function for the two-dimensional case. Based on a particular feature, the appropriate code word is generated by table look-up or algorithm and added to the coded line buffer. All code tables for both one-dimensional and two-dimensional codes are stored in labelled common which is initialized by a BLOCK DATA subprogram.

ONED2

The ONED2 subroutine decodes the MHC. It extracts a set of n bits ($n=3$ initially) from the coded line and looks for a match with all code words of length n, increasing n until a match is found or the code table is exhausted. When and if a match is found, the indicated bits are constructed on the output line.

TWOD2

This subroutine performs the same function as ONED2 for the two-dimensional line.

MI2B and I4B

The subprograms MI2B and I4B are used to pack and unpack a set of bits into (or from) an array of words.

3.2 Computer Program with Wrap-Around

Since the Wrap-Around algorithm requires information from many input lines at the same time, the structure of the program described in the previous section was not suitable for modification to accomodate wrap-around. Also, since the programs are designed to operate in an error free environment, there is no need to inject errors or decode the coded data in order to measure compression. Therefore a new program was written to accommodate wrap-around efficiently, without the decode function. The modules included in this program are described below:

MRCW

The main program, MRCW, simply calls the initialization and encoding routines and reports the results.

ENCDW

This routine performs the one-dimensional and two-dimensional algorithms as required and builds the resultant code lines. Input to this routine is obtained from a list of black-white or white black transitions stored in a circular list in memory.

GTRAN

The subroutine GTRAN scans the input image data for transition and adds the next transition encountered along the scan line to the circular list called TRANS. Transitions are added to the bottom of the list by GTRAN and taken from the top of the list by ENCDW. One transition is added by GTRAN each time it is called. Care must be taken to ensure that the list does not go empty (TOP passes BOTTOM) or that the list overflows (BOTTOM passes TOP).

INIT2

This subroutine is used to enter input parameters interactively and to initialize variables. It performs the initial fill of the transition list.

CODNG & CODLN

These subroutines perform the same functions as for the no wrap-around case, except that CODLN has been modified to accomodate very long runlengths.

4.0 COMPRESSION DATA FOR THE MODIFIED READ CODE II

A computer program was written to measure the number of transmitted bits/page for each of the three CCITT test documents (1, 5, 7) at each of five resolutions (200, 240, 300, 400, 480 lpi). The bits/pg was measured both with and without wrap-around as the algorithms are described in section 2.0. The results of these simulation runs are tabulated in table 4-1. The number of bits/page and the compression ratio is listed for each combination of test document and resolution. The average for the three test CCITT images is also provided. The compression ratio is computed by dividing the number of pels in each test image by the number of compressed bits/pg. The number of pels in each image is listed below.


<u>Resolution</u>	<u>Pels/line</u>	<u>Lines/image</u>	<u>Pels/image</u>
200	1,728	2,336	4,036,608
240	2,048	2,800	5,734,400
300	2,560	3,500	8,960,000
400	3,456	4,672	16,146,432
480	4,096	5,600	22,937,600


Figures 4-1 and 4-2 are graphs of the data in table 4-1 (without wrap-around) for the compressed bits/page and the compression ratio respectively. Note that the compression ratio increases linearly as a function of resolution. Also note that the compression ratio approximately doubles when the resolution doubles. This causes the number of compressed bits/pg to also double as the resolution doubles since the number of pels/image

Table 4-1
COMPRESSION DATA FOR THE
MODIFIED READ CODE II

CCITT IMAGE	RESO- LUTION LPI	NO WRAP AROUND		WITH WRAP AROUND		DIFF.
		BITS	COMP. RATIO	BITS	COMP. RATIO	
#1 ENGLISH LETTER	200	132,057	30.57	140,215	28.79	5.8
	240	156,932	36.54	170,073	33.72	7.7
	300	197,170	45.44	218,763	40.96	9.9
	400	271,040	59.57	308,496	52.34	12.1
	480	326,525	70.25	386,287	59.39	15.4
#5 FRENCH JOURNAL	200	229,256	17.61	230,370	17.52	.51
	240	273,023	21.00	274,976	20.85	.71
	300	345,827	25.91	349,976	25.60	1.1
	400	467,330	34.55	476,159	33.91	1.8
	480	570,354	40.22	583,568	39.31	2.2
#7 KANJI	200	531,782	7.59	534,039	7.56	0.4
	240	628,491	9.12	631,118	9.09	0.3
	300	783,644	11.43	788,697	11.36	0.6
	400	1,041,310	15.50	1,050,767	15.37	0.8
	480	1,262,786	18.16	1,276,678	17.97	1.0
AVERAGE	200	297,769	13.56	301,541	13.39	1.2
	240	352,815	16.25	358,722	15.99	1.6
	300	442,217	20.26	452,479	19.80	2.3
	400	593,226	27.22	611,807	26.39	3.0
	480	719,888	31.86	748844	30.63	3.9

卷之三





increases by 4 to 1 as the resolution doubles.

The Wrap Around coding technique was chosen for analysis with the anticipation that it might provide more compression than the non wrap around technique. However, the data in table 4-1 shows that the compression for Wrap Around is consistently poorer than the conventional Mod READ Code II (MRCII) algorithm. The following paragraph examines the Wrap Around technique to give some indication as to why the compression is reduced rather than increased.

The conventional MRCII algorithm transmits an all white line with one bit; this is very efficient. With Wrap Around the average number of bits for a number of consecutive white lines is increased to eight to nineteen per line depending on the resolution. It is this inefficient consecutive all-white-line coding which is primarily responsible for the poorer performance of Wrap Around.

The last column in Table 4-1 is a list of the percentages by which the wrap-around compressions are reduced relative to the non-wrap-around compressions. Notice how the percentage reductions are far greater for the English Letter than they are for the Kanji image. This is due to the fact that there are more all-white lines in the English letter than there are in the Kanji page. Also notice how the percentage generally increases with resolution. This is due to the fact that the number of all-white lines increase with resolution.

This inefficient white-line coding could be improved by transmitting the number of extended runlengths of 2560 pels instead of repeating the code for 2560. However that would require a change to the MRC code table.

5.0 SCAN LINE STATISTICS FOR THE MODIFIED READ CODE II

The computer program which was written to measure the compression of the Modified READ Code II also measured the statistics for the number of bits per scan line for each of the test documents. The following bits/line statistics were measured for each of the test documents

- o minimum bits/line
- o maximum bits/line
- o average bits/line
- o standard deviation

Table 5-1 is a tabulation of these statistics for each test document scanned at each of the five resolutions. Note that the minimum bits/line for each simulation is 1. This occurs because an all-white line is transmitted with one bit regardless of the number of pels in the line. Also note that the average number of bits/line and the standard deviation is relatively independent of the resolution. This is due to the fact that the transmitted bits per line is largely based upon the number of transitions per lines and the number of transitions per line is independent of resolution.

The maximum number of bits/line varies over a relatively wide range for different resolutions due to the totally different locations of scan lines and sampling pels relative to the image.

TABLE 5-1
SCAN LINE STATISTICS FOR THE
MODIFIED READ CODE II*

CCITT IMAGE	RESO- LUTION LPI	MINIMUM BITS/LINE	MAXIMUM BITS/LINE	AVERAGE BITS/LINE	STANDARD DEVIATION
#1 ENGLISH LETTER	200	1	641	56.5	110.9
	240	1	594	56.0	110.7
	300	1	760	56.3	118.4
	400	1	680	58.0	115.3
	480	1	659	58.3	117.3
#5 FRENCH JOURNAL	200	1	907	98.1	132.5
	240	1	778	97.5	133.1
	300	1	755	98.8	127.1
	400	1	1124	100.0	138.6
	480	1	1256	101.8	144.0
#7 KANJI	200	1	507	227.6	123.2
	240	1	514	224.4	123.4
	300	1	530	223.9	127.4
	400	1	559	222.9	123.4
	480	1	605	225.5	126.2

* NO WRAP AROUND

APPENDIX A
CODE LISTING FOR THE MODIFIED READ
CODE II WITHOUT WRAP-AROUND

<u>SUBROUTINE</u>	<u>PAGE NO.</u>
1. MRC2	A-1
2. INIT2	A-7
3. ENCD2	A-11
4. GETL2	A-17
5. BLOCK DATA	A-19
6. ONED2	A-25
7. TWOD2	A-28
8. CODNG	A-32
9. CODLN	A-34
10. INOUT	A-36

PAGE 0001 FTN. 5:13 PM SUN.. 31 OCT.. 1982

```
      FTN4,L,T,C
      PROGRAM FRC2
      C      IMPLICIT INTEGER(A-Z)
      C
      C      ASSUMPTIONS:
      C      MAXIMUM LINE LENGTH=4096
      C      MAXIMUM NUMBER OF LINES=5600
      C      MAXIMUM INPUT RECORD SIZE=256
      C
      C      COMMON VARIABLES - DEFINITION
      C
      C      INLNO - INPUT LINE NUMBER
      C      OTLNO - OUTPUT LINE NUMBER
      C      OTELW - NO. WORDS IN OUTPUT LINE
      C      IMELP - NOT USED
      C      CDELP - CODE LINE ELEMENT POINTER
      C      OTELP - OUTPUT LINE ELEMENT POINTER
      C      CDELW - WORDS CONTAINING CODED DATA BITS
      C      CDDATA - NO. OF CODED BITS ON A LINE
      C      CDELT - NO. OF CODED DATA BITS ON A LINE
      C      IMELCT - SPECIFIED BITS ON INPUT LINE
      C      TCDATA - TOTAL CODED DATA BITS IN IMAGE
      C      TCDEL - TOTAL CODED BITS IN IMAGE
      C
      C      ERPT - ERPT
      C      ERROFF - ERROFF
      C      ERPLIM - ERPLIM
      C      EPFCNT - TOTAL ERRORS IN IMAGE
      C      INLNCT - NO. OF INPUT LINES PROCESSED
      C      CONSEC - CONSECUTIVE EOL'S READ
      C
      C      ONECNT - NOT USED
      C      LMKHBF - LINE NO. BUFFER
      C      KCNT - NOT USED
      C      ZERO - COUNT OF ZEROES IN CODED LINE
      C      HBPY - NO. OF BITS PER WORD
      C
      C      INCOD - CODE LINE POINTER (INPUT)
      C      IRREF - REFERENCE LINE POINTER (INPUT)
      C      OICOD - CODE LINE POINTER (OUTPUT)
      C      OIREF - REFERENCE LINE POINTER (OUTPUT)
      C
      C      STFRAT - NO. OF 2-DIMENSIONAL LINES IN IMAGE
      C      ERRCOR - INPUT RECORD SIZE DESIRED .
      C      BUFDIM - INPUT RECORD SIZE DESIRED .
      C
      C*****LABELLED COMMON ARRAYS*****
      C
      C      DIMENSION PELREF(258),PELCOD(258),OUTREF(258),OUTCOD(258)
      C      EQUIVALENCE (PELREF,PELBUF),(PELCOD,PELBUF(1,2),
      C      EQUIVALENCE (OUTREF,OTBUF),(OUTCOD,OTBUF(1,2),
      C      COMMON/BUFF/PELBUF(258,2),OTBUF(258,2),
      C      CDBUF(1024),STFBUF(1024),STAT(1)
      C
      C*****LABELLED COMMON ARRAYS*****
```

PAGE #882 MRC2 5:13 PM SUN. 31 OCT., 1982

```
COMMON/HUFF/CODE(3,185,2),CODERD(3,11)
COMMON/ERAY/ERRORS(188)
C*****FILE BUFFERS*****
$856 C
$857 C
$858 C
$859 C
$860 C COMMON/FILES/TERM,LPPFIL, IDC87(144), IDC88(144), IDC89(144)
$861 C INTEGER TERM,LPPFIL, IDC87, IDC88, IDC89
$862 C
$863 C
$864 C IDC87 - PELFIL
$865 C IDC88 - OTFIL
$866 C IDC89 - STATFL
$867 C
$868 C*****LABELLED COMMON VARIABLES*****
$869 C
$870 C COMMON/IVAR/PELMAX,VRES,EPHASE,CMPMAX,ERRMOD,LINMAX,K
$871 C COMMON/PVAR/INLNNO,OTLNNO,OTELP,CDELW,CDDATA,
$872 C * CDELCT,INELCT,TCDATA,TCDEL,ERRPNT,ERROFF,ERRLIM,
$873 C *
$874 C * ERRCNT,INLNCNT,CONSEC,LNNOBF,ZERO,
$875 C * INCOD,INREF,OICOD,OIREF,STFBIT,ERRCOR,BUFDIM
$876 C * COMMON/LOGIC/SEARCH,DIAG,SYNC,WRITE,LEFT,CHCOL,ONE,WHITE,FILEND,
$877 C * OUTF
$878 C LOGICAL SEARCH,DIAG,SYNC,WRITE,LEFT,CHCOL,ONE,WHITE,FILEND,
$879 C
$880 C DOUBLE PRECISION TCDATA,TCDEL
$881 C ****END COMMON*****
$882 C
$883 C
$884 C*****LOCAL VARIABLES*****
$885 C
$886 C REAL CF3,CF4,ERRATE
$887 C
$888 C INTEGER STATUS,COLOR,TEMP,BUFDEX,BUFMAX
$889 C
$890 C
$891 C CALL INIT2
$892 C
$893 C
$894 C
$895 C CONTINUE
$896 C CALL GETL2(13,MODE,LBITS,L)
$897 C GO TO (910,930,920),MODE
$898 C
$899 C
$900 C EOL NOT FOUND; ADVANCE POINTER AND TRY AGAIN
$901 C CDELW=CDELW+1
$902 C GO TO 999
$903 C
$904 C
$905 C
$906 C
$907 C
$908 C
$909 C
$910 C
$911 C
$912 C
$913 C
$914 C
$915 C
$916 C
$917 C EOL FOUND
$918 C
$919 C
$920 C
$921 C
$922 C
$923 C
$924 C
$925 C
$926 C
$927 C
$928 C
$929 C
$930 C
$931 C
$932 C
$933 C
$934 C
$935 C
$936 C
$937 C
$938 C
$939 C
$940 C
$941 C
$942 C
$943 C
$944 C
$945 C
$946 C
$947 C
$948 C
$949 C
$950 C
$951 C
$952 C
$953 C
$954 C
$955 C
$956 C
$957 C
$958 C
$959 C
$960 C
$961 C
$962 C
$963 C
$964 C
$965 C
$966 C
$967 C
$968 C
$969 C
$970 C
$971 C
$972 C
$973 C
$974 C
$975 C
$976 C
$977 C
$978 C
$979 C
$980 C
$981 C
$982 C
$983 C
$984 C
$985 C
$986 C
$987 C
$988 C
$989 C
$990 C
$991 C
$992 C
$993 C
$994 C
$995 C
$996 C
$997 C
$998 C
$999 C
$1000 C
```

PAGE #803 MRC2 5:13 PM SUN., 31 OCT., 1982

3

```
      C IF(MODE-2)965,1888,988
#112 965 STOP 765
#113 1888 CONTINUE
#114
#115 C PERFORM ONE-DIMENSIONAL DECODE OF A COMPLETE LINE
#116 C FIRST, SET OUTPUT BUFFER TO WHITE
#117 C (ONLY BLACK RUNS WILL BE INSERTED)
#118 C
#119 C
#120 DO 1818 I=1,BUFDIM
#121 OTBUF(I,OTCOD)-$1
#122 1818 CONTINUE
#123 C
#124 INDEX=3
#125 COLOR=1
#126 OTELP=1
#127 C
#128 1828 CONTINUE
#129 CALL ONE02(INDEX,COLOR,STATUS,L)
#130 GO TO 1873B,1875,1875,1835,1848),STATUS
#131 C
#132 C RUN ADDED: CHECK LENGTH OF OUTPUT LINE
#133 C
#134 #1838 CONTINUE
#135 ONE=.TRUE.
#136 IF(OTELP-1-PELMAX) 1831,1832,1858
#137 1831 CONTINUE
#138 C
#139 IF(ICHCOL)COLOR-MOD(COLOR+2,2)+1
#140 INDEX=3
#141 GO TO 1828
#142 3808 CONTINUE
#143 C PERFORM TWO-DIMENSIONAL DECODE
#144 C
#145 C
#146 C FIRST, SET OUTPUT BUFFER TO WHITE
#147 C (ONLY BLACK RUNS WILL BE INSERTED)
#148 C
#149 DO 3818 I=1,BUFDIM
#150 OTBUF(I,OTCOD)-$1
#151 3818 CONTINUE
#152 C
#153 C
#154 INDEX=3
#155 COLOR=1
#156 OTELP=1
#157 C
#158 3828 CONTINUE
#159 CALL TWO02(INDEX,COLOR,STATUS,L)
#160 GO TO (3803B,1878,1878,1835,1848),STATUS
#161 C
#162 C RUN ADDED: LOOK FOR NEXT RUN
#163 C
#164 C
```

```

        ONE=.FALSE.
#166      IF(OTELP=1-PELMAX) 3#31,1#32,1#66#
#167      CONTINUE
#168      IF(ICHCOL)COLOR=MOD(COLOR+2,2)+1
#169      INDEX=3
#170      GO TO 3#22#
#171
#172      C   LINE LENGTH=PELMAX; NO FILL EXPECTED
#173      C   IF EOL, CONTINUE IN SPECIFIED MODE
#174      C   IF NO EOL, CONTINUE IN PREVIOUS MODE
#175
#176      C   1#32 CONTINUE
#177
#178      C   CHECK FOR EOL
#179
#180      CALL GETL2(113,MODE,LBITS,L)
#181      GO TO 1#65,1#68,1#69,1#6A,1#6B),MODE
#182
#183      C   PREMATURE EOL DETECTED
#184
#185      C   EOL1 DETECTED
#186
#187      C   EOL2 DETECTED
#188
#189      1#35 CONTINUE
#190      CDELP=CDELP+L
#191      STATUS=4
#192      IF(OTELP.LE.1) CONSEC=CONSEC+1
#193      IF(CONSEC=2)1#98,1#99,2#68
#194
#195      C   EOL2 DETECTED
#196
#197      1#45 CONTINUE
#198      CDELP=CDELP+L
#199      STATUS=6
#200
#201      GO TO 1#89
#202
#203      C   PROBLEMS,PROBLEMS
#204
#205      1#55 STOP 1#55
#206
#207      C   LINE LENGTH CORRECT. WRITE OUTPUT LINE
#208
#209      1#66 CONTINUE
#210
#211      C   EOL DETECTED PROPERLY
#212
#213      CDELP=CDELP+L
#214      CONSEC=1
#215      IF(ONE) SYNC=.TRUE.
#216
#217      C   ENTRY FOR NO EOL
#218
#219      1#65 CONTINUE
#220      IEOF=1

```

PAGE 8886 MRC2 5:13 PM SUN.. 31 OCT.. 1982

 IF(OUTF) CALL INOUT(OTC0D+2, IEOF)
 OTLNN0=LNNOBF
 TEMP=OTREF
 OTREF=OTC0D
 OTC0D=TEMP
 IF(IMODE.EQ.2) GO TO 1888
 GO TO 3888
 C LINE TOO LONG OR NO MATCH
0235 C
0236 C
0237 1888 CONTINUE
 IF(ISTATUS.EQ.4) GO TO 1888
 SEARCH=.TRUE.
 GO TO 988
0248 C
0241 C END OF MESSAGE
0242 C
0243 C
0244 2888 CONTINUE
 WRITE(ILPFIL,2818) CONSEC
 2818 FORMAT("END OF MESSAGE DETECTED (",I2," EOL'S')")
0245 C
0246 C REPORT COMPRESSION FACTOR, ERROR SENSITIVITY FACTOR,BIT ERROR RATE
0247 C
0248 C
0249 C
0250 ERRATE=FLOAT(ERRCNT)/TCDEL
 WRITE(ILPFIL,2820) TCDEL,TCDATA,STFBIT,INLNCT,ERRATE
0251 2820 FORMAT("CODED BITS = ",F8.0/
0252 " CODED DATA BITS = ",F8.0/
0253 " 2-DIM LINES = ",I8/
0254 " INPUT LINES PROCESSED = ",I8/
0255 " BIT ERROR RATE = ",G14.6,
0256 C
0257 C CF3=FLOAT(PELMAX)*FLOAT(INLNCT)/TCDEL
 CF4=FLOAT(PELMAX)*FLOAT(INLNCT)/TCDATA
0258 C
0259 C
0260 C
0261 C
0262 2838 FORMAT("ICF3) = ",F8.4/
 "ICF4) = ",F8.4)
0263 C
0264 C
0265 C
0266 C WRITE EOF INDICATOR ON STAT FILE & CLOSE
0267 C
0268 STAT(1)=1
 CALL WRITF(1DCB9, IERR, STAT)
0269 IF(IERR.LT.0) STOP 283
 CALL CLOSE(1DCB9)
0270 IF(OUTF) CALL ERMS
0271 C
0272 C
0273 C
0274 C CALL FTIME(PELREF)
 WRITE(ILPFIL,4888) (PELREF(I),I=1,15)

PAGE 8886 MRC2 5:13 PM SUN.. 31 OCT.. 1982

8276 4888 FORMAT(1HE,16A2)
8277 CALL IINOUT(99,IEOF)
8278 E N D

FTN4 COMPILER: HP92060-1692 REV. 2/26 (888423)

** NO WARNINGS ** NO ERRORS ** PROGRAM = 88577

COMMON = 8888

PAGE 5051 FTN. 5:14 PM SUN.. 31 OCT.. 1982

7

```
      FTN4,L,T,C
      SUBROUTINE INIT2
      IMPLICIT INTEGER(A-Z)
      C*****LABELED COMMON /G16BT/ *****
      DIMENSION MASK(16),COMASK(16),LIBIT(16),LZBIT(16)
      COMMON /G16BT/MASK,COMASK,LIBIT,LZBIT,NBPW
      C*****LABELED COMMON ARRAYS*****
      C
      DIMENSION PELREF(258),PELCOD(258),OUTREF(258),OUTCOD(258)
      EQUIVALENCE (PELREF,PELBUF(1,2)),(PELCOD,PELBUF(1,2))
      EQUIVALENCE (OUTREF,OTBUF),(OUTCOD,OTBUF(1,2))
      COMMON/BUFF/PELBUF(258,2),OTBUF(258,2),
      &           CDBUF(1#24),STFBUF(1#24),STAT(1)
      COMMON/HUFF/CODE(3,15,2),CODERD(3,11)
      COMMON/ERAY/ERRORS(1#8)
      C*****FILE BUFFERS*****
      C
      COMMON/FILES/TERM,LFFIL,IDCB8(144),IDCB8(144),IDCB9(144)
      INTEGER TERM,LFFIL,IDCB8,IDCB9
      C
      IDC87 - PELFIL
      IDC88 - OTFIL
      IDC89 - STATFL
      C*****LABELED COMMON VARIABLES*****
      COMMON/IVAR/PELMAX,VRES,EPLAHE,CMPMAX,ERRMOD,LINMAX,K
      COMMON/PVAR/1LNNO,OTLNNO,OTELW,COELP,OTELP,CDELW,CDDATA,
      &           COELCT,INELCT,TCDATA,TCDEL,ERRPN,ERROFF,ERRLIM,
      &           ERRCNT,INLNCT,CONSEC,1NNOBF,ZERO,
      &           INCOD,INREF,OTCODE,OTREF,STFBIT,ERRCOR,BUFDIM
      COMMON/LOGIC/SEARCH,DIAG,SYNC,WRITE,LEFT,CHCOL,ONE,WHITE,FILEND,
      &           OUTF
      LOGICAL SEARCH,DIAG,SYNC,WRITE,LEFT,CHCOL,ONE,WHITE,FILEND,
      OUTF
      C
      DOUBLE PRECISION TCDATA,TCDEL
      C*****FILE PARAMETERS*****
      C*****END COMMON*****
      C
      DIMENSION LINE(8#),IBUF(1#),ITBUF(1#),NMBUF(3)
      EQUIVALENCE (IBUF,FNAME),(IBUF(5),ISECU),(IBUF(6),ICR)
      C
      DATA LINE/8#*2H /,LEN=8#/.ISTRC/1/
      C*****BEGIN PROGRAM*****
      C
      C
```

PAGE #882 INIT2 5:14 PM SUN.. 31 OCT.. 1982

```
8856 C GET INPUT IMAGE FILE NAME AND OPEN
8857 C
8858 C CALL GETSTLNE('LEN, IDUM),
8859 C CALL NAMR(IBUF,LINE,2*IDUM,ISTRC)
8860 C CALL OPEN(IDC87,IERR,FNAM,B,ISECU,ICR)
8861 C IF(IERR.LT.0)STOP #881
8862 C
8863 C GET OUTPUT IMAGE FILE NAME AND OPEN
8864 C
8865 C CALL NAMR(IBUF,LINE,2*IDUM,ISTRC)
8866 C CALL OPEN(IDC88,IERR,FNAM,B,ISECU,ICR)
8867 C IF(IERR.GE.0) GO TO 5
8868 C *****
8869 C *****
8870 C
8871 C IF NO OUTPUT FILE
8872 C THEN NO ERROR INSERTION
8873 C AND
8874 C NO ERROR COMPARISON (ERRMS)
8875 C AND
8876 C NO INPUT LINE NUMBER OR PEL COUNT USED/REQUIRED
8877 C ELSE ERROR INSERTION OPTIONAL
8878 C *****
8879 C *****
8880 C
8881 C NO OUTPUT FILE
8882 C
8883 C OUTF=.FALSE.
8884 C WRITE(TERM,6)
8885 C 6 FORMAT(= NO OUTPUT FILE SPECIFIED.=)
8886 C
8887 C GET SCRATCH FILE NAME & OPEN
8888 C
8889 C 5 CALL NAMR(IBUF,LINE,2*IDUM,ISTRC)
8890 C CALL OPEN(IDC89,IERR,FNAM,B,ISECU,ICR)
8891 C IF(IERR.LT.0)STOP #883
8892 C
8893 C READ INPUT RECORD SIZE
8894 C
8895 C 29 WRITE(TERM,30)
8896 C 39 FORMAT(=ENTER INPUT RECORD SIZE: = )
8897 C READ(TERM,* ) BUFDIM
8898 C IF(BUFDIM.GE.0.AND.BUFDIM.LE.256) GO TO 114
8899 C WRITE(TERM,16B) BUFDIM
8900 C GO TO 29
8901 C
8902 C READ DIAGNOSTIC SWITCH
8903 C
8904 C 114 WRITE(TERM,115)
8905 C 115 FORMAT(=DIAGNOSTIC PRINTOUT? (Y OR N), = )
8906 C READ(TERM,115) IMSW
8907 C 116 FORMAT(=1)
8908 C IF(IMSW.EQ.2HY ) GO TO 116
8909 C IF(IMSW.EQ.2HN ) GO TO 128
8910 C GO TO 114
```

PAGE #9993 INIT2 5:14 PM SUN.. 31 OCT.. 1982

9

```
116 CONTINUE
117 C READ MAXIMUM NUMBER OF PELS PER LINE
118 C 125 CONTINUE
119 WRITE(ITERM,138)
120 FORMAT(1$ENTER MAXIMUM NUMBER OF PELS PER LINE: ")
121 READ(ITERM,") PELMAX
122 148 FORMAT(1A)
123 IF(PELMAX.GE.1.AND.PELMAX.LE.4#96) GO TO 16#
124 WRITE(ITERM,158) PELMAX
125 FORMAT(1$NUMBER OUT OF RANGE (",16,")")
126 GO TO 128
127 C READ VERTICAL SAMPLING
128 16# CONTINUE
129 WRITE(ITERM,178)
130 FORMAT(1$ENTER VERTICAL SAMPLING: ")
131 READ(ITERM,") VRES
132 IF(VRES.GE.1.AND.VRES.LE.1B) GO TO 19#
133 WRITE(ITERM,159) VRES
134 GO TO 16#
135 C READ PARAMETER K
136 C 19# CONTINUE
137 C 19# WRITE(ITERM,192)
138 WRITE(ITERM,192)
139 FORMAT(1$ENTER PARAMETER K: ")
140 READ(ITERM,") K
141 IF(K.GE.1.AND.K.LE.56#9) GO TO 32#
142 WRITE(ITERM,158) K
143 GO TO 19#
144 C READ NUMBER OF SCAN LINES TO BE PROCESSED
145 C 32# CONTINUE
146 WRITE(ITERM,338)
147 FORMAT(1$NUMBER OF SCAN LINES TO BE PROCESSED=? ")
148 READ(ITERM,") LINMAX
149 IF(LINMAX.GE.1.AND.LINMAX.LE.56#8) GO TO 35#
150 WRITE(ITERM,158) LINMAX
151 GO TO 32#
152 C 35# CONTINUE
153 C READ INPUT IMAGE NAME
154 C 36# FORMAT(1$IMAGE NAME: ")
155 WRITE(ITERM,369)
156 READ(ITERM,365) NMBUF
157 C 365 FORMAT(3A2)
158 WRITE INPUT PARAMETERS
159 CALL FTIME(1TBUF)
160 WRITE(1PFIL,37#) 1TBUF
161 37# FORMAT(1H#,15A2)
```

PAGE 8884 INIT2 5:14 PM SUN., 31 OCT., 1982

```

S166 38# WRITE(LLPFIL,38#) NMBUF
S167 C   FORMAT('IMAGE NAME = '3A2)
S168 C   WRITE(LLPFIL,48#) PELMAX,VRES,K,LINMAX,BUFDIM
S169 C   48# FORMAT('INPUT PARAMETERS:',/
S170 C   *   MAXIMUM NUMBER OF PELS PER LINE=' ,16/
S171 C   *   VERTICAL SAMPLING, N=' ,14/
S172 C   *   PARAMETER K =' ,14/
S173 C   *   NUMBER OF SCAN LINES TO BE PROCESSED =' ,16/
S174 C   *   RECORD SIZE =' ,14)
S175 C   WRITE(LLPFIL,41#)
S176 C   41# FORMAT('NO ERRORS INSERTED')
S177 C..... BEGIN PROGRAM .....
S178 C
S179 C
S180 C   INITIALIZE
S181 C
S182 C   INELCT=PELMAX
S183 CDELCT=NBPW
S184 CDELP=NBPW+1
S185 DO 855 I=1,BUFDIM=4
S186 STFBUF(I)=#
S187 CDBUF(I)=#
S188 855 CONTINUE
S189 DO 859 I=1,BUFDIM
S190 DTBUF(I),OTREF)=#
S191 OTBUF(I,OTCOD)=#
S192 PELBUF(I,INREF)=#
S193 PELBUF(I,INCOD)=#
S194 859 CONTINUE
S195 RETURN
END

```

FTN4 COMPILER: HP92060-16#92 REV. 2#26 (888423)

** NO WARNINGS ** NO ERRORS ** PROGRAM = 88841 COMMON = 88888

PAGE 8081 FTM. 5:13 PM SUN.. 31 OCT.. 1982

8891 FTN4,L,T,C
8892 SUBROUTINE EMC02
8893 C IMPLICIT INTEGER(A-Z)
8894 C*****LABELED COMMON /C16BT/ *****
8895 C*****
8896 C*****
8897 C DIMENSION MASK(16),COMASK(16),LIBIT(16),LZBIT(16)
8898 COMMON /C16BT/MASK,COMASK,LIBIT,LZBIT,NBPW
8899 C*****
8900 C*****LABELED COMMON ARRAYS*****
8901 C*****
8902 C*****
8903 DIMENSION PELREF(258),PELCOD(258),OUTREF(258),OUTCOD(258)
8904 EQUIVALENCE (PELREF,PELBUF),(PELCOD,PELBUF(1,2))
8905 EQUIVALENCE (OUTREF,OTBUF),(OUTCOD,OTBUF(1,2))
8906 COMMON/BUFF/PELBUF(258,2),OTBUF(258,2),
8907 & CDBUF(1#24),STFBUF(1#24),STAT(1)
8908 COMMON/HUFF/CODE(3,165,2),CODERD(3,11)
8909 COMMON/ERAY/ERRORS(1#8)
8910 C*****FILE BUFFERS*****
8911 C*****
8912 C COMMON/FILES/TERM,LPFILE,IDCB87(144),IDCB88(144),IDCB89(144)
8913 INTEGER TERM,LPFILE,IDCB87,1DCB88,1DCB89
8914 C*****
8915 C*****LABELED COMMON VARIABLES*****
8916 C*****
8917 C 1DCB7 - PELFL
8918 C 1DCB8 - OTFIL
8919 C 1DCB9 - STAFIL
8920 C*****
8921 C*****
8922 C*****
8923 C*****
8924 C*****
8925 C*****
8926 C 1DCB7 - PELFL
8927 C 1DCB8 - OTFIL
8928 C 1DCB9 - STAFIL
8929 C*****
8930 C*****
8931 C COMMON/IVAR/PELMAX,YRES,EPMAX,CMPMAX,ERRMOD,LINMAX,K
8932 COMMON/PVAR/INMNO,OTLNO,OTELV,CDELP,OTELP,CDDATA,
8933 COMMON/PVAR/INMNO,OTLNO,OTELV,CDELP,OTELP,CDDATA,
8934 CDELCI,INELCT,TCDEL,TCDEL,TCDEL,TCDEL,TCDEL,
8935 ERRRCNT,INRCT,CONSEC,LINNCF,ZERO,
8936 INCD,INRF,OTCODE,OTREF,STFBIT,ERRCOR,BUFDIM
8937 COMMON/LOGIC/SEARCH,DIAG,SYNC,WRITE,LEFT,CHCOL,ONE,WHITE,FILEND,
8938 * OUTF
8939 LOGICAL SEARCH,DIAG,SYNC,WRITE,LEFT,CHCOL,ONE,WHITE,FILEND,
8940 * OUTF
8941 C DOUBLE PRECISION TCDATA,TCDEL
8942 C*****END COMMON*****
8943 C*****
8944 C*****
8945 C*****
8946 INTEGER AB,A2,B1,B2,ERRBIT,FILL,I,MAB,PEL,PELM1
8947 INTEGER POL,POLAR,RUN,TEMP
8948 C***** BEGIN PROGRAM *****
8949 C*****
8950 C INITIALIZE VARIABLES
8951 C CDELCI=NBPW
8952 CDDATA=0
8953 DO 5# 1=2,BUFDIM#4
8954 CDBUF(1)=0
8955 C*****

EFFECTS OF ENSO ON SAVANNAH FOREST DIVERSITY IN EAST AFRICA

```

      STFBUF(1)=#
      6957 C   CONTINUE
      6958 C   READ INPUT PICTURE FILE
      6959 C
      6960 C
      6961 C   CONTINUE
      6962 C   IF(FILEEND) GO TO 129
      6963 C   IF(LININCT.GE.LINMAX) GO TO 129
      6964 C   CALL LININCT(1,INCMOD,IEOF)
      6965 C   IF(IEOF.EQ.-1) GO TO 129
      6966 C   IF(.NOT.OUTFL) INLNNNO=INLNNNO+1
      6967 C   IF((INLNNNO-1,IREST).NE.0) GO TO 169
      6968 C   IF(LININCT.LT.PELMAX) STOP 2222
      6969 C   LININCT=INLINCT+1

      6970 C   LOAD OUTPUT LINE NUMBER BUFFER
      6971 C
      6972 C   LNNOBF=INLNNNO
      6973 C   IF(SEARCH)OTLNNO=LNNOBF

      6974 C   IF((INLNNNO.LE.LINMAX) GO TO 149

      6975 C
      6976 C   IF((INLNNNO.LE.LINMAX) GO TO 149

      6977 C   WRITE SIX EOL'S
      6978 C
      6979 C   WRITE SIX EOL'S
      6980 C
      6981 C   129 CONTINUE
      6982 C   FILEEND=.TRUE.
      6983 C   DO 139 I=1,6
      6984 C   CALL CODNG(1,I,I,I,I,I)
      6985 C   139 CONTINUE
      6986 C   DO 135 I=1,6
      6987 C   STFBUF(1)->CDBUF(1)
      6988 C   135 CONTINUE
      6989 C   DO TO 399
      6990 C
      6991 C   FIRST OF K LINES
      6992 C
      6993 C   149 CONTINUE
      6994 C   IF((MOD(INLINCT-1,K).NE.0) GO TO 699
      6995 C
      6996 C   ONE-DIMENSIONAL CODING
      6997 C   WRITE ONE EOLI
      6998 C   CALL CODNG(1,I,I,I,I,I)
      6999 C
      7000 C   POLAR=1
      7001 C
      7002 C   TEST COLOR OF FIRST ELEMENT
      7003 C
      7004 C   IF(148(PELBUF(1,INC00),1,1).EQ.0) GO TO 159
      7005 C
      7006 C   FIRST ELEMENT BLACK; ENCODE 8-LENGTH WHITE RUN
      7007 C   CALL CODNG(1,I,I,I,I,I)
      7008 C
      7009 C

```

PAGE #883 EMC02 6:13 PM SUN.. 31 OCT.. 1982

13

```
S111 C CALCULATE RUN LENGTH AND ENCODE
S112 C
S113 C 15# CONTINUE
S114 RUN->
S115 DO 2#> I=1,PELMAX
S116 PEL=J4B(PELBUF(I,INCOD),I,1)+1
S117 IF(PEL.EQ.POLAR) GO TO 18#
S118 CALL CODLN(RUN,POLAR)
S119 IF(I-NOT.DIAG) GO TO 17#
S120 WRITE(TERM,16#) RUN,POLAR,CDELT,CDDATA
S121 16# FORMAT(4I8)
S122 17# CONTINUE
S123 RUN-1
S124 POLAR=MOD(POLAR+2,2)+1
S125 GO TO 2#>
S126 18# CONTINUE
S127 RUN-RUN+1
S128 2#> CONTINUE
S129 CALL CODLN(RUN,POLAR)
S130 IF(I-NOT.DIAG) GO TO 21#
S131 WRITE(TERM,16#) RUN,POLAR,CDELT,CDDATA
S132 GO TO 21#
S133
S134 C TWO-DIMENSIONAL CODING
S135 C
S136 C
S137 6#> CONTINUE
S138 STFBIT-STFBIT+1
S139 C IF PREVIOUS LINE IS ONE-DIMENSIONAL, WRITE ONE EOL2
S140 C
S141 C
S142 IF(MOD(INLNCT-2,K).EQ.,#) CALL CODNG(11,B,B,B,B)
S143 C
S144 C SET A# TO LEFT EDGE-1 AND POLARITY=WHITE
S145. C
S146 A#-#
S147 POL->
S148 LEFT=.TRUE.
S149 C
S150 C DETECT A1
S151 C
S152 62#> CONTINUE
S153 I=A#+1
S154 IF(I.GT.PELMAX) GO TO 64#
S155 63#> CONTINUE
S156 PEL=J4B(PELBUF(I,INCOD),I,1)
S157 IF(PEL.NE.POL) GO TO 64#
S158 J=J+1
S159 IF(I.LE.PELMAX) GO TO 63#
S160 64#> CONTINUE
S161 A1-I
S162 C DETECT B1
S163 C
S164 C
S165 I=A#+1
```

PAGE #884 ENC02 5:13 PM SUN.. 31 OCT. 1982

14
S166 IF(I1.GT.PELMAX) GO TO 665
S167 IF(LEFT) GO TO 645
S168 PELHJ=14B(PELBUF(I1,INREF),AG,1)
S169 GO TO 65#
S170 645 CONTINUE
S171 PELM1=PEL
S172 PEL=14B(PELBUF(I1,INREF),I,1)
S173 IF(PEL.NE.PELM1) GO TO 67#
S174 CONTINUE
S175 PELM1=PEL
S176 I=I+1
S177 IF(I1.LE.PELMAX) GO TO 65#
S178 CONTINUE
S179 S1=I
S180 GO TO 71#
S181 67# CONTINUE
S182 IF(PEL.NE.POL) GO TO 69#
S183 GO TO 66#
S184 69# CONTINUE
S185 S1=I
S186 POL=PEL
S187 C DETECT B2
S188 C
S189 C
S190 I=B1+1
S191 IF(I1.GT.PELMAX) GO TO 71#
S192 70# CONTINUE
S193 PEL=14B(PELBUF(I1,INREF),I,1)
S194 IF(PEL.NE.POL) GO TO 72#
S195 I=I+1
S196 IF(I1.LE.PELMAX) GO TO 70#
S197 71# CONTINUE
S198 B2=I
S199 GO TO 73#
S200 72# CONTINUE
S201 B2=I
S202 POL=PEL
S203 73# CONTINUE
S204 IF(I1.NOT.LEFT) POLAR=14B(PELBUF(I1,INCOD),AG,1)+1
S205
S206 AG=1
S207
S208 LEFT=.FALSE.
S209 74# CONTINUE
S210 C
S211 C TEST FOR PASS MODE
S212 C
S213 IF(B2.GE.A1) GO TO 75#
S214 C
S215 C PASS MODE CODING (CAN'T END A LINE IN PASS MODE; NEW AG MUST HAVE
S216 C SAME POLARITY AS B2)
S217 C
S218 CALL CODNG(I1,S,B,G)
S219 AG=B2
S220 GO TO 62#

PAGE #0005 ENCD2 5:13 PM SUN., 31 OCT. 1982

15
#221 75# CONTINUE
#222 C MAB=1ABS(A1-B1)
#223 IF(MAB-3) 835,835,799
#224 C CODE BY HORIZONTAL MODE; FIRST DETECT A2
#225 C
#226 C
#227 C 799 CONTINUE
#228 I-A1+1
#229 I-A1+1
#230 I-F1.GT.PELMAX) GO TO 81#
#231 C CALCULATE POLARITY OF A1
#232 C
#233 C POL=1AB(PELBUF((1,INCOD),A1,1))
#234 C
#235 80# CONTINUE
#236 PEL=1AB(PELBUF((1,INCOD),I,1))
#237 IF(PEL.NE.POL) GO TO 82#
#238 I-I+1
#239 IF(I.LT.PELMAX) GO TO 80#
#240 81# A2-PELMAX+1
#241 GO TO 83#
#242 82# CONTINUE
#243 A2-J
#244 83# CONTINUE
#245 CALL CODNG(2,POLAR,A#,A1,A2)
#246 A#-A2
#247 GO TO 96#
#248 C
#249 C CODE BY VERTICAL MODE
#250 C
#251 835 CONTINUE
#252 IF(A1-B1) 85#,84#,84#
#253 C
#254 84# CALL CODNG(A1-B1+3,B,B,B,B)
#255 GO TO 95#
#256 85# CONTINUE
#257 CALL CODNG(B1-A1+6,B,B,B,B)
#258 95# CONTINUE
#259 A#-A1
#260 C
#261 C TEST FOR END OF LINE
#262 C
#263 96# CONTINUE
#264 IF(A#-GT.PELMAX) GO TO 21#
#265 POL=1AB(PELBUF((1,INCOD),A#,1))
#266 GO TO 62#
#267 21# CONTINUE
#268 C SWITCH CODE & REFERENCE LINES
#269 C
#270 C
#271 TEMP=INREF
#272 INREF=INCOD
#273 INCOD=TEMP
#274 C COELW=(CDELCT+NBPW-1)/NBPW
#275 C

PAGE #886 ENC2D 5:13 PM SUN., 31 OCT., 1982

```

S276    DO 300 I=2,CDELW
S277      STFBUF(1)=CDBUF(1)
300  CONTINUE
S279  C  SAVE LINE LENGTH(DATA BITS ONLY)
S280  C
S281  STAT(1)=CDDATA
S282      CALL WRITE(IDC89,IERR,STAT)
IF(IERR.LT.0)STOP 300
S284  C
S285  C COMPUTE STATISTICS
S286  C
S287  300 CONTINUE
TCDEL=TCDEL+CDELCT-NBPW
TCDATA=TCDATA+CDDATA
IF(DIAG) WRITE(ITEM,160) INLNCT, CDDATA
S291  C
S292  IF (I.NOT.DIAG) GO TO 460
CDELW=(CDELCT+NBPV-1)/NBPV
WRITE(LPFIL,450) (CDBUF(1),I=1,CDELW)
S294
S295
S296  450 FORMAT(80I12)
S297  460 CONTINUE
S298  RETURN
S299  C
S300  C
S301  E N D

```

FTN4 COMPILER: HP92060-16/92 REV. 2026 (88/423)

** NO WARNINGS ** NO ERRORS ** PROGRAM = 88842 COMMON = 88888

PAGE 8891 FTN. 5:14 PM SUN., 31 OCT. 1982

```

8891      FTN4.L,T,C
8892      SUBROUTINE GET2(LBITS,MODE,WRD,L)
8893      C
8894      IMPLICIT INTEGER(A-Z)
8895      C
8896      LBITS = NO. OF BITS REQUESTED
8897      MODE = 
8898      1 - NORMAL RETURN
8899      2 - EOL1 DETECTED
8900      3 - EOL2 DETECTED
8901      4 - NOT USED
8902      WRD = CONTAINS BITS RETURNED
8903      L = NO. OF BITS RETURNED
8904      C
8905      ****LABELLED COMMON /G16BT/ ****
8906      C
8907      DIMENSION MASK(16),COMASK(16),LIBIT(16),LZBIT(16)
8908      COMMON /G16BT/MASK,COMASK,LIBIT,LZBIT,NBPW
8909      C
8910      ****LABELLED COMMON ARRAYS*****
8911      C
8912      DIMENSION PELREF(258),PELCOD(258),OUTREF(258),OUTCOD(258)
8913      EQUIVALENCE (PELREF,PELBUF),(PELCOD,PELBUF(1,2))
8914      EQUIVALENCE (OUTREF,OTBUF),(OUTCOD,OTBUF(1,2))
8915      COMMON/BUFF/OTBUF(258,2),OTBUF(258,2)
8916      COMMON/BUFF/PELBUF(1624),STFBUF(1624),STAT(1)
8917      COMMON/HUFF/CODE(3,165,2),CORDER(3,11)
8918      COMMON/ERAY/ERRORS(165)
8919      C
8920      ****LABELLED COMMON VARIABLES*****
8921      C
8922      COMMON/IVAR/PELMAX,VRES,EPHASE,CMPMAX,ERRMOD,LINMAX,K
8923      COMMON/PVAR/INLNNO,OTLNNO,OTELV,CDELP,OTELP,CDDATA,
8924      * CDELT,INELCT,TCDATA,TCDEL,ERRPNT,ERROFF,ERRLIM,
8925      * ERRCNT,INLNCT,CONSEC,LNNOBF,ZERO,
8926      * INCOD,INRCT,OTREF,OTCODE,OTREF,STFBIT,ERRCOR,BUFDIM
8927      * COMMON/LOGIC/SEARCH,DIAG,SYNC,WRITE,LEFT,CHCOL,ONE,WHITE,FILEND,
8928      * OUTF
8929      * LOGICAL SEARCH,DIAG,SYNC,WRITE,LEFT,CHCOL,ONE,WHITE,FILEND,
8930      * OUTF
8931      C
8932      DOUBLE PRECISION TCDATA,TCDEL
8933      C
8934      * ****END COMMON *****
8935      * ****RETRIEVE NEXT BIT FROM CDBUF
8936      * ****ENCODE A NEW LINE IF NECESSARY
8937      * ****IF(LBITS+CDELP-1.LE.CDELC) GO TO 289
8938      * ****BEGIN PROGRAM *****
8939      * ****
8940      * ****
8941      * ****
8942      * ****
8943      * ****
8944      * ****
8945      * ****
8946      * ****
8947      * ****
8948      * ****
8949      * ****
8950      * ****
8951      * ****
8952      * ****
8953      * ****
8954      * ****
8955      * ****

```

PAGE #8#2 GETL2 5:14 PM SUN., 31 OCT. 1982

```

15(CDELCT-CDELP+1) 17#19#18#
#857 17# STOP 17#
#858 18# CONTINUE
#859 STFBUFF(1)=148(STFBUF,CDELP,CDELCT-CDELP+1)
#860 19# CONTINUE
#861 CDELP=NBPW-(CDELCT-CDELP)
#862 CALL ENCD2
#863 29# CONTINUE
#864 WRD=148(STFBUF,CDELP,LBITS)
#865 L=1BITS
#866 IF(L.LT.13) GO TO 25#
#867 IF(L.EQ.13.AND.WRD.EQ.CODERD(3,1#)) GO TO 30#
#868 IF(L.EQ.13.AND.WRD.EQ.CODERD(3,11)) GO TO 4#B
#869 25# CONTINUE
#870 MODE=1
#871 RETURN
#872 30# CONTINUE
#873 MODE=2
#874 RETURN
#875 4#B CONTINUE
#876 MODE=3
#877 RETURN
#878 E N D

```

FTM4 COMPILER: HP92#6#-16#92 REV. 2#26 (8#8#423)

** NO WARNINGS ** NO ERRORS ** PROGRAM = #8#126 COMMON = #8#8#8#

PAGE #881 FTN. 5,14 PM SUN., 31 -T., 1982

```

      FTN4-L,T,C
      BLOCK DATA NBLK2
      C
      IMPLICIT INTEGER(A-Z)

      C*****LABELLED COMMON ARRAYS*****
      C
      8887 C DIMENSION PELREF(258),PELCOD(258),OUTREF(258),OUTCOD(258)
      8888 EQUIVALENCE (PELREF,PELBUF),(PELCOD,PELBUF(1,2))
      8889 EQUIVALENCE (OUTREF,OTBUF),(OUTCOD,OTBUF(1,2))
      8890 COMMON/BUFF/PELBUF(1,258,2),OTBUF(258,2),
      8891           CDBUF(1824),STATEBUF(1824),STAT(1)
      8892           * COMMON/HUFF/CODE(3,185,2),CODED(3,11)
      8893           * COMMON/ERAY/ERRORS(185)
      8894           * COMMON/ERR/ERRORS(185)
      8895           * COMMON/FILE BUFFERS*****
      8896           *
      8897           *
      8898           *
      8899           *
      8900           *
      8901           *
      8902           *
      8903           *
      8904           *
      8905           *
      8906           *
      8907           *
      8908           *
      8909           *
      8910           *
      8911           *
      8912           *
      8913           *
      8914           *
      8915           *
      8916           *
      8917           *
      8918           COMMON/FILLES/TERM,(LPFIL,10C87(144),IDCB88(144),IDCB89(144)
      8919           INTEGER TERM,LPFIL,10CB7,10CB8,10CB9
      8920           *
      8921           IDC87 - PELFIL
      8922           IDC88 - OTFIL
      8923           IDC89 - STATFL
      8924           *
      8925           *****LABELLED COMMON VARIABLES*****
      8926           *
      8927           COMMON/JVAR/PELMAX,VRES,EPMAX,CMPMAX,ERRMOD,LINMAX,K
      8928           COMMON/PVAR/INLNO,OTLNO,OTELV,CDELV,CDDATA,CDELW,CDDATA,
      8929           * CDELCT,INELCT,TCDATA,TCDEL,ERRPNT,ERROFF,ERRLIM,
      8930           * ERRCNT,INLNCNT,CONSEC,LMNDBF,ZERO,
      8931           * INCOD,INREF,OTCOP,OTREF,STFBIT,ERRCOR,BUFDIM
      8932           * COMMON/LOGIC/SEARCH,DIAG,SYNC,WRITE,LEFT,CHCOL,ONE,WHITE,FILEND,
      8933           * OUTF
      8934           LOGICAL SEARCH,DIAG,SYNC,WRITE,LEFT,CHCOL,ONE,WHITE,FILEND,
      8935           * OUTF
      8936           *
      8937           *
      8938           *
      8939           *****END COMMON *****
      8940 C
      8941           DATA TERM/1/
      8942           DATA LPFIL/6/
      8943           DATA DIAG/.FALSE./
      8944           DATA WHITE/.FALSE./
      8945           DATA SEARCH/.TRUE./
      8946           DATA SYNC/.FALSE./
      8947           DATA FILEND/.FALSE./
      8948           DATA OUTF/.TRUE./
      8949           DATA ERRCT/8/
      8950           DATA INREF/1/
      8951           DATA INCOD/2/
      8952           DATA OTREF/1/
      8953           DATA OTCOD/2/
      8954           DATA INLNO/9/
      8955           DATA INLNCNT/8/

```


511 DATA CODE(1, 58,1),CODE(2, 58,1),CODE(3, 58,1)/
 512 DATA CODE(1, 51,1),CODE(2, 51,1),CODE(3, 51,1)/
 513 DATA CODE(1, 52,1),CODE(2, 52,1),CODE(3, 52,1)/
 514 DATA CODE(1, 53,1),CODE(2, 53,1),CODE(3, 53,1)/
 515 DATA CODE(1, 54,1),CODE(2, 54,1),CODE(3, 54,1)/
 516 DATA CODE(1, 55,1),CODE(2, 55,1),CODE(3, 55,1)/
 517 DATA CODE(1, 56,1),CODE(2, 56,1),CODE(3, 56,1)/
 518 DATA CODE(1, 57,1),CODE(2, 57,1),CODE(3, 57,1)/
 519 DATA CODE(1, 58,1),CODE(2, 58,1),CODE(3, 58,1)/
 520 DATA CODE(1, 59,1),CODE(2, 59,1),CODE(3, 59,1)/
 521 DATA CODE(1, 60,1),CODE(2, 60,1),CODE(3, 60,1)/
 522 DATA CODE(1, 61,1),CODE(2, 61,1),CODE(3, 61,1)/
 523 DATA CODE(1, 62,1),CODE(2, 62,1),CODE(3, 62,1)/
 524 DATA CODE(1, 63,1),CODE(2, 63,1),CODE(3, 63,1)/
 525 DATA CODE(1, 64,1),CODE(2, 64,1),CODE(3, 64,1)/
 526 DATA CODE(1, 65,1),CODE(2, 65,1),CODE(3, 65,1)/
 527 DATA CODE(1, 66,1),CODE(2, 66,1),CODE(3, 66,1)/
 528 DATA CODE(1, 67,1),CODE(2, 67,1),CODE(3, 67,1)/
 529 DATA CODE(1, 68,1),CODE(2, 68,1),CODE(3, 68,1)/
 530 DATA CODE(1, 69,1),CODE(2, 69,1),CODE(3, 69,1)/
 531 DATA CODE(1, 70,1),CODE(2, 70,1),CODE(3, 70,1)/
 532 DATA CODE(1, 71,1),CODE(2, 71,1),CODE(3, 71,1)/
 533 DATA CODE(1, 72,1),CODE(2, 72,1),CODE(3, 72,1)/
 534 DATA CODE(1, 73,1),CODE(2, 73,1),CODE(3, 73,1)/
 535 DATA CODE(1, 74,1),CODE(2, 74,1),CODE(3, 74,1)/
 536 DATA CODE(1, 75,1),CODE(2, 75,1),CODE(3, 75,1)/
 537 DATA CODE(1, 76,1),CODE(2, 76,1),CODE(3, 76,1)/
 538 DATA CODE(1, 77,1),CODE(2, 77,1),CODE(3, 77,1)/
 539 DATA CODE(1, 78,1),CODE(2, 78,1),CODE(3, 78,1)/
 540 DATA CODE(1, 79,1),CODE(2, 79,1),CODE(3, 79,1)/
 541 DATA CODE(1, 80,1),CODE(2, 80,1),CODE(3, 80,1)/
 542 DATA CODE(1, 81,1),CODE(2, 81,1),CODE(3, 81,1)/
 543 DATA CODE(1, 82,1),CODE(2, 82,1),CODE(3, 82,1)/
 544 DATA CODE(1, 83,1),CODE(2, 83,1),CODE(3, 83,1)/
 545 DATA CODE(1, 84,1),CODE(2, 84,1),CODE(3, 84,1)/
 546 DATA CODE(1, 85,1),CODE(2, 85,1),CODE(3, 85,1)/
 547 DATA CODE(1, 86,1),CODE(2, 86,1),CODE(3, 86,1)/
 548 DATA CODE(1, 87,1),CODE(2, 87,1),CODE(3, 87,1)/
 549 DATA CODE(1, 88,1),CODE(2, 88,1),CODE(3, 88,1)/
 550 DATA CODE(1, 89,1),CODE(2, 89,1),CODE(3, 89,1)/
 551 DATA CODE(1, 90,1),CODE(2, 90,1),CODE(3, 90,1)/
 552 DATA CODE(1, 91,1),CODE(2, 91,1),CODE(3, 91,1)/
 553 DATA CODE(1, 92,1),CODE(2, 92,1),CODE(3, 92,1)/
 554 DATA CODE(1, 93,1),CODE(2, 93,1),CODE(3, 93,1)/
 555 DATA CODE(1, 94,1),CODE(2, 94,1),CODE(3, 94,1)/
 556 DATA CODE(1, 95,1),CODE(2, 95,1),CODE(3, 95,1)/
 557 DATA CODE(1, 96,1),CODE(2, 96,1),CODE(3, 96,1)/
 558 DATA CODE(1, 97,1),CODE(2, 97,1),CODE(3, 97,1)/
 559 DATA CODE(1, 98,1),CODE(2, 98,1),CODE(3, 98,1)/
 560 DATA CODE(1, 99,1),CODE(2, 99,1),CODE(3, 99,1)/
 561 DATA CODE(1, 100,1),CODE(2, 100,1),CODE(3, 100,1)/
 562 DATA CODE(1, 101,1),CODE(2, 101,1),CODE(3, 101,1)/
 563 DATA CODE(1, 102,1),CODE(2, 102,1),CODE(3, 102,1)/
 564 DATA CODE(1, 103,1),CODE(2, 103,1),CODE(3, 103,1)/
 565 DATA CODE(1, 104,1),CODE(2, 104,1),CODE(3, 104,1)/
 566 DATA CODE(1, 105,1),CODE(2, 105,1),CODE(3, 105,1)/

PAGE 8855 FTM. 5:14 PM SUN.. 31 OCT., 1982

27
DATA CODE(1, 55, 2), CODE(2, 55, 2), CODE(3, 55, 2)/12, 56, 768/
DATA CODE(1, 56, 2), CODE(2, 56, 2), CODE(3, 56, 2)/12, 56, 478/
DATA CODE(1, 57, 2), CODE(2, 57, 2), CODE(3, 57, 2)/12, 58, 568/
DATA CODE(1, 58, 2), CODE(2, 58, 2), CODE(3, 58, 2)/12, 58, 1398/
DATA CODE(1, 59, 2), CODE(2, 59, 2), CODE(3, 59, 2)/12, 58, 1318/
DATA CODE(1, 60, 2), CODE(2, 60, 2), CODE(3, 60, 2)/12, 61, 538/
DATA CODE(1, 61, 2), CODE(2, 61, 2), CODE(3, 61, 2)/12, 62, 548/
DATA CODE(1, 62, 2), CODE(2, 62, 2), CODE(3, 62, 2)/12, 63, 1328/
DATA CODE(1, 63, 2), CODE(2, 63, 2), CODE(3, 63, 2)/12, 64, 1468/
DATA CODE(1, 64, 2), CODE(2, 64, 2), CODE(3, 64, 2)/12, 66, 1478/
DATA CODE(1, 65, 2), CODE(2, 65, 2), CODE(3, 65, 2)/12, 67, 178/
DATA CODE(1, 66, 2), CODE(2, 66, 2), CODE(3, 66, 2)/12, 67, 3168/
DATA CODE(1, 67, 2), CODE(2, 67, 2), CODE(3, 67, 2)/12, 68, 3118/
DATA CODE(1, 68, 2), CODE(2, 68, 2), CODE(3, 68, 2)/12, 69, 1328/
DATA CODE(1, 69, 2), CODE(2, 69, 2), CODE(3, 69, 2)/12, 70, 638/
DATA CODE(1, 70, 2), CODE(2, 70, 2), CODE(3, 70, 2)/12, 71, 648/
DATA CODE(1, 71, 2), CODE(2, 71, 2), CODE(3, 71, 2)/12, 72, 658/
DATA CODE(1, 72, 2), CODE(2, 72, 2), CODE(3, 72, 2)/12, 73, 1648/
DATA CODE(1, 73, 2), CODE(2, 73, 2), CODE(3, 73, 2)/12, 74, 1558/
DATA CODE(1, 74, 2), CODE(2, 74, 2), CODE(3, 74, 2)/12, 75, 1128/
DATA CODE(1, 75, 2), CODE(2, 75, 2), CODE(3, 75, 2)/12, 76, 1138/
DATA CODE(1, 76, 2), CODE(2, 76, 2), CODE(3, 76, 2)/12, 77, 1148/
DATA CODE(1, 77, 2), CODE(2, 77, 2), CODE(3, 77, 2)/12, 78, 1158/
DATA CODE(1, 78, 2), CODE(2, 78, 2), CODE(3, 78, 2)/12, 79, 1628/
DATA CODE(1, 79, 2), CODE(2, 79, 2), CODE(3, 79, 2)/12, 80, 1638/
DATA CODE(1, 80, 2), CODE(2, 80, 2), CODE(3, 80, 2)/12, 81, 1648/
DATA CODE(1, 81, 2), CODE(2, 81, 2), CODE(3, 81, 2)/12, 82, 1658/
DATA CODE(1, 82, 2), CODE(2, 82, 2), CODE(3, 82, 2)/12, 83, 1668/
DATA CODE(1, 83, 2), CODE(2, 83, 2), CODE(3, 83, 2)/12, 84, 1678/
DATA CODE(1, 84, 2), CODE(2, 84, 2), CODE(3, 84, 2)/12, 85, 1228/
DATA CODE(1, 85, 2), CODE(2, 85, 2), CODE(3, 85, 2)/12, 86, 1238/
DATA CODE(1, 86, 2), CODE(2, 86, 2), CODE(3, 86, 2)/12, 87, 1248/
DATA CODE(1, 87, 2), CODE(2, 87, 2), CODE(3, 87, 2)/12, 88, 1258/
DATA CODE(1, 88, 2), CODE(2, 88, 2), CODE(3, 88, 2)/12, 89, 1328/
DATA CODE(1, 89, 2), CODE(2, 89, 2), CODE(3, 89, 2)/12, 90, 1338/
DATA CODE(1, 90, 2), CODE(2, 90, 2), CODE(3, 90, 2)/12, 91, 1448/
DATA CODE(1, 91, 2), CODE(2, 91, 2), CODE(3, 91, 2)/12, 92, 1458/
DATA CODE(1, 92, 2), CODE(2, 92, 2), CODE(3, 92, 2)/12, 93, 160/
DATA CODE(1, 93, 2), CODE(2, 93, 2), CODE(3, 93, 2)/12, 94, 148/
DATA CODE(1, 94, 2), CODE(2, 94, 2), CODE(3, 94, 2)/12, 95, 158/
DATA CODE(1, 95, 2), CODE(2, 95, 2), CODE(3, 95, 2)/12, 96, 228/
DATA CODE(1, 96, 2), CODE(2, 96, 2), CODE(3, 96, 2)/12, 97, 248/
DATA CODE(1, 97, 2), CODE(2, 97, 2), CODE(3, 97, 2)/12, 98, 248/
DATA CODE(1, 98, 2), CODE(2, 98, 2), CODE(3, 98, 2)/12, 99, 256/
DATA CODE(1, 99, 2), CODE(2, 99, 2), CODE(3, 99, 2)/12, 100, 260/
DATA CODE(1, 100, 2), CODE(2, 100, 2), CODE(3, 100, 2)/12, 101, 276/
DATA CODE(1, 101, 2), CODE(2, 101, 2), CODE(3, 101, 2)/12, 102, 348/
DATA CODE(1, 102, 2), CODE(2, 102, 2), CODE(3, 102, 2)/12, 103, 358/
DATA CODE(1, 103, 2), CODE(2, 103, 2), CODE(3, 103, 2)/12, 104, 368/
DATA CODE(1, 104, 2), CODE(2, 104, 2), CODE(3, 104, 2)/12, 105, 378/
DATA CODE(1, 105, 2), CODE(2, 105, 2), CODE(3, 105, 2)/12, 106, 38/
DATA CODERD(1, 1), CODERD(2, 1), CODERD(3, 1), 4, 5,
DATA CODERD(1, 2), CODERD(2, 2), CODERD(3, 2), 3, 4,
DATA CODERD(1, 3), CODERD(2, 3), CODERD(3, 3), 1, 2,
DATA CODERD(1, 4), CODERD(2, 4), CODERD(3, 4), 3, 7,
S221
S222
S223
S224
S225
S226
S227
S228
S229
S230
S231
S232
S233
S234
S235
S236
S237
S238
S239
S240
S241
S242
S243
S244
S245
S246
S247
S248
S249
S250
S251
S252
S253
S254
S255
S256
S257
S258
S259
S260
S261
S262
S263
S264
S265
S266
S267
S268
S269
S270
S271
S272
S273
S274
S275

PAGE #286 FTH. 6:14 PM SUN. 31 OCT. 1982

```
#276 DATA CODERD(1,5),CODERD(2,5),CODERD(3,5)/  
#277 DATA CODERD(1,6),CODERD(2,6),CODERD(3,6)/  
#278 DATA CODERD(1,7),CODERD(2,7),CODERD(3,7)/  
#279 DATA CODERD(1,8),CODERD(2,8),CODERD(3,8)/  
#280 DATA CODERD(1,9),CODERD(2,9),CODERD(3,9)/  
#281 DATA CODERD(1,10),CODERD(2,10),CODERD(3,10)/  
#282 DATA CODERD(1,11),CODERD(2,11),CODERD(3,11)/  
#283 C  
#284 E N D
```

FTNA COMPILER: HP92#60-16#92 REV. 2826 (8/8/423)

** NO WARNINGS ** NO ERRORS **

BLOCK COMMON BUFF	SIZE = #3881
BLOCK COMMON HUFF	SIZE = #663
BLOCK COMMON ERAY	SIZE = #118
BLOCK COMMON FILES	SIZE = #434
BLOCK COMMON IVAR	SIZE = #887
BLOCK COMMON PVAR	SIZE = #638
BLOCK COMMON LOGIC	SIZE = #8818

PAGE #001 FTN. 5:15 PM SUN., 31 OCT. 1982

25

```
      FTNA,L,T,C
      SUBROUTINE OMED2(INDEX,COLOR,STATUS,L)
      IMPLICIT INTEGER(A-Z)

      C*****LABELLED COMMON ARRAYS*****
      C
      DIMENSION PELREF(258),PELCOD(258),OUTREF(258),OUTCOD(258)
      EQUIVALENCE (PELREF,PELBUF),(PELCOD,PELBUF(1,2))
      EQUIVALENCE (OUTREF,OTBUF),(OUTCOD,OTBUF(1,2))
      COMMON/BUFF/PELBUF(258,2),OTBUF(258,2),
      CDBUF(1,144),$TBUF(1,144),STAT(1)
      COMMON/HUFF/CODE(3,105,2),CODERD(3,11)
      COMMON/ERAY/ERRORS(105)

      C*****FILE BUFFERS*****
      C
      COMMON/FILES/TERM,LFFIL,1DCB7(144),1DCB8(144)
      INTEGER TERM,LFFIL,1DCB7,1DCB8,1DCB9
      C
      IDC87 - PELFIL
      IDC88 - OTFIL
      IDC89 - STATFL
      C*****LABELLED COMMON VARIABLES*****
      C
      COMMON/IVAR/PELMAX,VRES,EPHASE,CMPMAX,ERRMOD,LINMAX,K
      COMMON/PVAR/INLNNO,OTLNNO,CDELV,CDDATA,
      CDELT,TCDEA,TCDEL,ERRPT,ERROFF,ERRLIM,
      ERRCNT,INUNCT,CONSEC,LINNOBE,ZERO,
      INCOD,INREF,OICOD,OTREF,SITBIT,ERRCOR,BUFFDIM
      COMMON/LOGIC/SEARCH,DIAG,SYNC,WRITE,LEFT,CHCOL,ONE,WHITE,FILEND,
      OUTF
      LOGICAL SEARCH,DIAG,SYNC,WRITE,LEFT,CHCOL,ONE,WHITE,FILEND,
      OUTF
      C
      DOUBLE PRECISION TCDATA,TCDEL
      C*****END COMMON*****
      C
      INTEGER COLOR,I,INDEX,L,LBITS,LENBIT,MODE,RUNLEN,STATUS
      C*****BEGIN PROGRAM*****
      C
      BEGIN DECODE LOOP: RETRIEVE NEXT CODE WORD LENGTH (L)
      C
      1000 CONTINUE
      1001 LERBIT=CODE(1,INDEX,COLOR)
      1002 CALL GETL2(LBITS,MODE,LBITS,L)
      1003 IF(DIAC) WRITE(1,08) LENBIT,MODE,LBITS,L
      1004 FORMAT(216,08,16)
      1005 GO TO (1048,1288,1298), MODE
      1048 CONTINUE
      1049 IF(LBITS.EQ.CODE(3,INDEX,COLOR)) GO TO 1108
      1050
      C
```

```

8856 C NO MATCH: ADVANCE CODE WORD INDEX VIA DECODE THREAD
8857 C
8858 INDEX=CODE(2,INDEX,COLOR)
8859 IF (INDEX.GE.196) GO TO 119#
8860 IF (CODE(1,INDEX,COLOR).EQ.LENBIT) GO TO 184#
8861 C CODE WORD LONGER; FROM THE TOP
8862 C
8863 C
8864 GO TO 1852
8865 C
8866 C MATCH FOUND
8867 C
8868 118# CONTINUE
8869 CDELP=CDELP+L
8870 C
8871 C NOT AN EOL
8872 C
8873 C
8874 C TEST FOR MAKE UP OR TERMINATING CODE
8875 C RUNLEN=INDEX-1
8876 IF (INDEX.GE.65) RUNLEN=(INDEX-64)*64
8877 IF (RUNLEN.EQ.0) GO TO 116#
8878 IF (COLOR.EQ.1) GO TO 115#
8879 IF (RUNLEN.LT.0) STOP 116#
8880 C
8881 C ADD BLACK RUN TO OUTPUT BUFFER
8882 C
8883 DO 115# I=1,RUNLEN
8884 CALL M12BICOLOR-1,OTBUF(1,OTCODE),OTELP,1)
8885 OTELPOTELPI
8886 IF (OTELP-1.GT.PELMAX) GO TO 118#
8887 115# CONTINUE
8888 GO TO 116#
8889 C
8890 C ADD WHITE RUN TO OUTPUT BUFFER (BY DEFAULT)
8891 C
8892 C
8893 115# CONTINUE
8894 OTELPOTELPI+RUNLEN
8895 IF (OTELP-1.GT.PELMAX) GO TO 118#
8896 C
8897 C OUTPUT LINE LESS THAN OR EQUAL TO MAX SPECIFIED
8898 C
8899 116# CONTINUE
8900 IF (INDEX.LT.65) GO TO 117#
8901 INDEX=3
8902 GO TO 185#
8903 C
8904 C
8905 C
8906 C RUN ADDED TO OUTPUT LINE; LENGTH LESS THAN OR EQUAL TO PELMAX (1)
8907 CMCOL=.TRUE.
8908 STATUS=1
8909 RETURN
8910 C

```

PAGE #993 ONED2 5:15 PM SUN., 31 OCT., 1982

```

$111 C RUN ADDED UNTIL PELMAX EXCEEDED; LINE TOO LONG (2)
$112
$113 118# CONTINUE
$114 IF(DIAC) WRITE(TERM,1185) (OTBUF(I,OTCOD),I=1,BUFDIM)
$115 1185 FORMAT(150B)
$116 STATUS=2
$117 RETURN
$118 C
$119 C NO MATCH FOUND IN CODE TABLE (3)
$120 C
$121 119# CONTINUE
$122 STATUS=3
$123 RETURN
$124 C
$125 C EOL1 DETECTED (4)
$126 C
$127 120# CONTINUE
$128 STATUS=4
$129 RETURN
$130 C
$131 C EOL2 DETECTED (5)
$132 C
$133 120# CONTINUE
$134 STATUS=5
$135 RETURN
$136 END

```

FTMA COMPILER: HP9206#-16#92 REV. 2#26 (8#8423)

** NO WARNINGS ** NO ERRORS ** PROGRAM = #9271 COMMON = #9999

PAGE #882 TWO02 5:16 PM SUN., 31 OCT., 1982

29
#856 C NO MATCH: ADVANCE CODE WORD INDEX VIA DECODE THREAD
#857 C
#858 C
#859 C INDEX=CODERD(2,INDEX)
#860 C IF((INDEX.GE.12) GO TO 1198
#861 C IF(CODERD(1,INDEX).EQ.LENBIT) GO TO 1#4#
#862 C
#863 C CODE WORD LONGER: FROM THE TOP
#864 C
#865 C GO TO 1#82
#866 C
#867 C MATCH FOUND
#868 C
#869 C 11#8 CONTINUE
#870 C CDELP=CDELP+L
#871 C
#872 C NOT AN EOL
#873 C
#874 C
#875 C FIND B1 AND B2
#876 C AB=OTELP
#877 C IF(OTELP.EQ.1) AB=B
#878 C
#879 C POL-COLOR-1
#880 C
#881 C DETECT B1
#882 C
#883 C I=AB+1
#884 C IF(I.LT.PELMAX) GO TO 65
#885 C PELMI=B
#886 C IF(AB.EQ.B) GO TO 5#
#887 C PELMI=I#81#OTBUF(1,OTREF),AB,1)
#888 C CONTINUE
#889 C PEL=I#81#OTBUF(1,OTREF),1,1)
#890 C IF(PEL.NE.PELMI) GO TO 7#
#891 C CONTINUE
#892 C PELMI=PEL
#893 C I=I+1
#894 C IF(I.LE.PELMAX) GO TO 5#
#895 C CONTINUE
#896 C D1=1
#897 C GO TO 92
#898 C CONTINUE
#899 C IF(PEL.NE.POL) GO TO 9#
#900 C GO TO 6#
#901 C CONTINUE
#902 C B1=1
#903 C POL=PEL
#904 C
#905 C DETECT B2
#906 C
#907 C I=B1+1
#908 C IF(I.LT.PELMAX) GO TO 92
#909 C CONTINUE
#910 C PEL=I#81#OTBUF(1,OTREF),1,1)

PAGE #053 TWO02 5:16 PM SUN., 31 OCT. 1982

```

S111  IF(PEL.NE.POL) GO TO 92
S112  I=I+1
S113  IF(I.LE.PELMAX) GO TO 91
S114  CONTINUE
S115  B2=1
S116  GO TO (108,288,388,488,588,688,698), INDEX
S117  C
S118  C    PASS MODE
S119  C
S120  108  CONTINUE
S121  RUNLEN=B2-OTELPP
S122  CHCOL=.FALSE.
S123  GO TO (1155,1145), COLOR
S124  C
S125  C    HORIZONTAL MODE
S126  C
S127  288  CONTINUE
S128  ENTRY=3
S129  CALL ONED2(ENTRY,COLOR,STATE,L)
S130  GO TO (1210,1188,1198,1288), STATE
S131  218  CONTINUE
S132  COLOR=MOD(COLOR+2,2)+1
S133  ENTRY=3
S134  CALL ONED2(ENTRY,COLOR,STATE,L)
S135  GO TO (1228,1188,1198,1288), STATE
S136  228  CONTINUE
S137  CHCOL=.TRUE.
S138  GO TO 1168
S139  C
S140  C    VERTICAL MODE A1B1=8
S141  C
S142  388  CONTINUE
S143  RUNLEN=B1-OTELPP
S144  CHCOL=.TRUE.
S145  GO TO (1155,1145), COLOR
S146  C
S147  C    VERTICAL MODE VR1 A1B1=1,2,3
S148  C
S149  488  CONTINUE
S150  RUNLEN=B1-OTELPP+INDEX-3
S151  CHCOL=.TRUE.
S152  GO TO (1155,1145), COLOR
S153  C
S154  C
S155  C
S156  C
S157  688  CONTINUE
S158  RUNLEN=B1-OTELPP-(INDEX-6)
S159  CHCOL=.TRUE.
S160  GO TO (1155,1145), COLOR
S161  C
S162  C    ADD BLACK RUN TO OUTPUT BUFFER
S163  C
S164  1145 CONTINUE
S165  IF(RUNLEN) 1198,1168,1147

```

PAGE #004 TMD02 :16 PM SUN.. 31 OCT.. 1982

```

#166 1147 CONTINUE
#167 DO 115#
#168 I=1,RUNLEN
#169 CALL M128(COLOR-1,OTBUF(I,OTCOD),OTE!P,J)
#170 OTELP=OTE LP+1
#171 IF(OTE LP-1.GT.PELMAX) GO TO 118#
#172 CONTINUE
#173 GO TO 116#
#174 C ADD WHITE RUN TO OUTPUT BUFFER (BY DEFAULT)
#175 C
#176 1155 CONTINUE
#177 IF(RUNLEN.LT.B) GO TO 119#
#178 OTELP=OTE LP+RUNLEN
#179 IF(OTE LP-1.GT.PELMAX) GO TO 118#
#180 C
#181 C RUN ADDED TO OUTPUT LINE; LENGTH LESS THAN OR EQUAL TO PELMAX (1)
#182 C
#183 1160 CONTINUE
#184 STATUS=1
#185 RETURN
#186 C RUN ADDED UNTIL PELMAX EXCEEDED; LINE TOO LONG (2)
#187 C
#188 C
#189 1180 CONTINUE
#190 IF(DIAG) WRITE(TERM,1185) (OTBUF(I,OTCOD),I=1,BUFDIM)
#191 1185 FORMAT(150$),
#192 STATUS=2
#193 RETURN
#194 C
#195 C NO MATCH FOUND IN CODE TABLE (3)
#196 C
#197 1190 CONTINUE
#198 STATUS=3
#199 RETURN
#200 C
#201 C EOL1 DETECTED (4)
#202 C
#203 1200 CONTINUE
#204 STATUS=4
#205 RETURN
#206 C
#207 C EOL2 DETECTED (5)
#208 C
#209 1205 CONTINUE
#210 STATUS=5
#211 RETURN
#212 END

```

FTN4 COMPILER: HP92960-16892 REV. 2026 (880423)

** NO WARNINGS ** NO ERRORS ** PROGRAM = #0476 COMMON = #0000

PAGE 8881 FTN. 5:03 PM SUN., 31 OCT., 1982

```

      FTNALIT.C
      SUBROUTINE CODNG(MODE,POLAR,A,B,C)
      IMPLICIT INTEGER(A-Z)

      C*****LABELLED COMMON ARRAYS*****
      C
      C DIMENSION PELREF(258),PELCOD(258),OUTCOD(258)
      C EQUIVALENCE (PELREF,PELBUF),(PELCOD,PELBUF(1,2))
      C EQUIVALENCE (OUTREF,OTBUF),(OUTCOD,OTBUF(1,2))
      C COMMON/BUFF/PELBUF(258,2),OTBUF(258,2),
      C             & CDBUF(1884),STFBUF(1884),STAT(1)
      C COMMON/HUFF/CODE(3,185,2),CODERD(3,11)
      C COMMON/ERAY/ERRORS(188)
      C*****LABELLED COMMON VARIABLES*****
      C
      C COMMON/IVAR/PELMAX,VRES,EPHASE,CMPMAX,ERRMOD,LINMAX,
      C COMMON/PVAR/INLNNO,OVLNO,OVELV,CDELP,OVELP,CDDATA,
      C CDELCT,INELCT,TCDATA,TCDEL,ERRPNT,ERROFF,ERRLIM,
      C ERRCNT,INRCT,CONSEC,LNNODE,ZERO,
      C INCOD,INREF,OTCOD,OTREF,STFBIT,ERRCOR,BUFIDN
      C COMMON/LOGIC/SEARCH;DIAG,SYNC,WRITE,LEFT,CHCOL,ONE,WHITE,FILEND,
      C             OUTF
      C LOGICAL SEARCH,DIAG,SYNC,WRITE,LEFT,CHCOL,ONE,WHITE,FILEND,
      C             OUTF
      C DOUBLE PRECISION TCDATA,TCDEL
      C*****END COMMON*****
      C
      C
      C*****BEGIN PROGRAM *****
      C
      C CALL M12B(CODERD(3,MODE),CDBUF,CDELCT+1,CODERD(1,MODE))
      C CDELCT=CDELCT+CODERD(1,MODE)
      C GO TO (188,288,188,188,188,188,188,188,188) , MODE
      C
      C MODE    1   2   3   4   5   6   7   8   9   10   11
      C
      C PASS MODE(1), VERTICAL MODE:A1B1-B(3),A1B1-1(4,7),+2(5,8),-3(6,9)
      C
      C 188  CONTINUE
      C CDDATA-CDDATA+CODERD(1,MODE)
      C RETURN
      C HORIZONTAL MODE(2)
      C
      C 288  CONTINUE
      C CDDATA-CDDATA+CODERD(1,MODE)
      C CALL CODLN(B-A,POLAR)
      C NEWPOL-MOD(POLAR+2,2)+1
      C CALL CODLN(C-B,NEWPOL)
      C

```

PAGE 8882 CODNG 5:03 PM SUN., 31 OCT., 1982

8856 RETURN
8857 C ADD EOL1 OR EOL2 TO LINE (10,11)
8858 C
8859 C
8860 CONTINUE
8861 RETURN
8862 END

FTN4 COMPILER: HP92060-1692 REV. 2026 (888423)

** NO WARNINGS ** NO ERRORS ** PROGRAM = 88112 COMMON = 88888

PAGE #551 FTN. 5:03 PM SUN.. 31 OCT. 1982

34

```
#551      FTN4,L,T,C
#552      SUBROUTINE COOLN(LENGTH,POLAR)
#553      C
#554      IMPLICIT INTEGER(A-Z)
#555      C*****LABELLED COMMON ARRAYS*****
#556      C
#557      C
#558      DIMENSION PELREF(258),PELCOD(258),OUTREF(258),OUTCOD(258)
#559      EQUIVALENCE (PELREF,PELBUF),(PELCOD,PELBUF(1,2))
#560      EQUIVALENCE (OUTREF,OTBUF),(OUTCOD,OTBUF(1,2))
#561      COMMON/BUFF/PELBUF(258,2),OTBUF(258,2),
#562      &          CDBUF(1024),STFBUF(1024),STAT(1)
#563      COMMON/HUFF/CODE(3,105,2),CODERD(3,11)
#564      COMMON/ERAY/ERRORS(100)
#565      C
#566      C*****FILE BUFFERS*****
#567      C
#568      COMMON/FILES/TERM,LPFFIL,IDCB7(144),IDCB8(144),IDCB9(144)
#569      INTEGER TERM,LPFFIL,IDCB7,IDCB8,IDCB9
#570      C
#571      IDC87 - PELFIL
#572      IDC88 - OTFIL
#573      IDC89 - STATFL
#574      C
#575      C*****LABELLED COMMON VARIABLES*****
#576      C
#577      COMMON/IVAR/PELMAX,VRES,EPMAX,ERRMOD,LINMAX,K
#578      COMMON/PVAR/INMNO,OTLNM,OVELP,CDELW,CDDATA,
#579      &          COELCT,INELCT,TCDATA,TCDEL,ERRPNT,ERROFF,ERRLIM,
#580      &          ERRCNT,INLNCT,CONSEC,LNNOBF,ZERO,
#581      &          INCOD,INREF,OTCOD,OTREF,SITBIT,ERRCOR,BUFDIM
#582      COMMON/LOGIC/SEARCH,DIAG,SYNC,WRITE,LEFT,CHCOL,ONE,WHITE,FILEND,
#583      &          OUTF
#584      LOGICAL SEARCH,DIAG,SYNC,WRITE,LEFT,CHCOL,ONE,WHITE,FILEND,
#585      &          OUTF
#586      C      DOUBLE PRECISION TCDATA,TCDEL
#587      C
#588      C*****END COMMON*****
#589      C
#590      C
#591      INTEGER LENGTH,POLAR,INDEX,DEX,CODESW,TCODE,TLENG
#592      C
#593      C*****BEGIN PROGRAM *****
#594      C
#595      C      CHECK INPUTS
#596      C
#597      IF(POLAR.LT.1.OR.POLAR.GT.2) STOP 3333
#598      IF(LENGTH.LE.0.OR.LENGTH.GT.PELMAX) STOP 4444
#599      C      IF(LENGTH.LE.63) GO TO 49
#600      C
#601      CALCULATE MAKE UP CODE INDEX
#602      C
#603      INDEX=LENGTH/64+64
#604      IF((INDEX.LE.104) GO TO 38
#605      C
```

PAGE 0002 CODLN 5:03 PM SUN.. 31 OCT.. 1982

INDEX=INDEX-49
DEX=164
ASSIGN 29 TO CODESW
IF(DIAG) WRITE(TERM,25)CODESW,DEX,POLAR
FORMAT(1,29)CODESW = "316"
D25 GO TO 1899
39 DEX = INDEX
ASSIGN 46 TO CODESW
IF(DIAG) WRITE(TERM,35)CODESW,DEX,POLAR
FORMAT(1,39)CODESW = "316"
D35 GO TO 1899
C CALCULATE TERMINATING CODE INDEX
D669 C
D670 49 DEX=MOD(LENGTH,64)+1
D671 ASSIGN 69 TO CODESW
IF(DIAG) WRITE(TERM,45)CODESW,DEX,POLAR
FORMAT(1,49)CODESW = "316"
D45 GO TO 1899
D674 69 RETURN
D675 C
D676 C CODE LOOK-UP AND INSERTION ROUTINE
D677 C
D678 C 1899 CONTINUE
D679 TCODE=CODE(3,DEX,POLAR)
TLENG=CODE(1,DEX,POLAR)
D680 IF(DIAG) WRITE(TERM,1895) CODE(1,DEX,POLAR)
D1895 FORMAT(1,WORD LENGTH = "16")
D682 CALL HI2B(TCODE,CDBUF,CDELCT+1,TLENG)
D683 CDELCT=CDELCT+TLENG
D684 CDDATA=CDDATA+TLENG
D685
D686
D687 C
D688 60 TO CODESW,(129,49,69)
D689 E W D
D690

FTM4 COMPILER: MP92060-1692 REV. 2926 (880423)

** NO WARNINGS ** NO ERRORS ** PROGRAM = 00135 COMMON = 00000

PAGE #881 FTN. 5:01 PM SUN., 31 OCT., 1982

 FTN4,L,T,C
 SUBROUTINE INOUT(ICtl,IEOF)
 C IMPLICIT INTEGER(A-Z)
 C THIS ROUTINE PERFORMS ALL DISC I/O FOR IMAGE FILES
 C
 C A RECORD CONSISTS OF:
 C LINE NUMBER - 1 WORD
 C MAX LINE SIZE - 1 WORD (NEGATIVE FOR A CORRUPTED LINE)
 C DATA FOR ONE SCAN LINE - UP TO 256 WORDS
 C
 C THE INPUT/OUTPUT BUFFERS ARE CONNECTED TO THE TWO-DIMENSIONAL
 C PROGRAM ARRAYS BY EQUIVALENCE. LINE NUMBER AND SIZE MUST BE
 C LOADED/EXTRACTED BEFORE/AFTER WRITING/READING.
 C
 C ENTRY PARAMETERS:
 C
 C ICTL - I/O CONTROL WORD
 C
 C 1- READ INTO REFERENCE BUFFER (PELREF)
 C 2- READ INTO CODE BUFFER (PELCOD)
 C 3- WRITE FROM REFERENCE BUFFER (OUTREF)
 C 4- WRITE FROM CODE BUFFER (OUTCOD)
 C 5- READ INTO REFERENCE BUFFER (OUTREF)
 C 6- READ INTO CODE BUFFER (OUTCOD)
 C 99- CLOSE FILES AND STOP
 C
 C IEOF - INDICATES POS OR NEG LINE SIZE TO BE WRITTEN
 C +1 - POS
 C -1 - NEG
 C
 C EXIT PARAMETERS:
 C
 C *****LABELLED COMMON ARRAYS*****
 C
 C
 C DIMENSION PELREF(258),PELCOD(258),OUTREF(258),OUTCOD(258)
 C EQUIVALENCE (PELREF,PELBUF),(PELCOD,PELBUF(1,2))
 C EQUIVALENCE (OUTREF,OTBUF),(OUTCOD,OTBUF(1,2))
 C COMMON/BUFF/PELBUF(258,2),OTBUF(258,2)
 C COMMON/HUFF/PELBUF(1824),OTBUF(1824),STAT(1)
 C COMMON/HUFF/CODE(3,185,2),CODERD(3,11);
 C COMMON/ERR/ERRORS(100)
 C *****FILE BUFFERS*****
 C
 C COMMON/FILES/TERM,LPFIL,1DC87(144),1DC88(144),1DC89(144)
 C
 C 1DC87 - PELFIL
 C 1DC88 - OTFIL
 C 1DC89 - STATEI
 C
 C

PAGE #8882 INOUT 6:01 PM SUN.. 31 OCT.. 1982

37

```
*****LABELLED COMMON VARIABLES*****
8556 C
8557 C COMMON/IVAR/PELMAX,VRES,EPMASS,CMPMAX,ERRMOD,1INMAX,K
8558 C COMMON/PVAR/OTLNNO,OTLNV,CDELP,OTELV,CDELY,CDATA,
8559 C CDELC7,INELCT,TCDATA,TCDEL,ERRPT,ERROFF,ERRLM,
8560 C
8561 C
8562 C
8563 C
8564 C
8565 C LOGICAL SEARCH,DIAG,SYNC,WRITE,LEFT,CHCOL,ONE,WHITE,FILEND,
     OUTF
8566 C
8567 C DOUBLE PRECISION TCDATA,TCDEL
8568 C
8569 C *****END COMMON*****
8570 C
8571 C
8572 C *****BEGIN PROGRAM*****
8573 C
8574 C GO TO(100,200,300,400,500,600,3988),1CTL
8575 C
8576 C READ INTO REFERENCE BUFFER
8577 C
8578 C 100W CALL READF(LDCB7,IERR,PELREF,BUFDIM+2,IEOF)
8579 C IF(I-NOT. OUTF) GO TO 9000
8580 C 1INNNO=PELREF(1BUF DIM+1)
8581 C INELCT=PELREF(1BUF DIM+2)
8582 C GO TO 9000
8583 C
8584 C READ INTO CODE BUFFER
8585 C
8586 C 200W CALL READF(LDCB7,IERR,PELCOD,BUF DIM+2,IEOF)
8587 C IF(I-NOT. OUTF) GO TO 9000
8588 C 1INNNO=PELCOD(1BUF DIM+1)
8589 C INELCT=PELCOD(1BUF DIM+2)
8590 C GO TO 9000
8591 C WRITE FROM REFERENCE BUFFER
8592 C
8593 C 300W OUTREF(1BUF DIM+1)=OTLNNO
8594 C OUTREF(1BUF DIM+2)=IEOF*PELMAX
8595 C CALL WRITF(LDCBB,IERR,OUTREF)
8596 C GO TO 1500
8597 C
8598 C
8599 C WRITE FROM CODE BUFFER
8600 C
8601 C 400W OUTCODE(1BUF DIM+1)=OTLNNO
8602 C OUTCODE(1BUF DIM+2)=IEOF*PELMAX
8603 C CALL WRITF(LDCBB,IERR,OUTCODE)
8604 C GO TO 1500
8605 C
8606 C READ FROM OUTPUT REFERENCE BUFFER
8607 C
8608 C 500W CALL READF(LDCB8,IERR,OUTREF,BUF DIM+2,IEOF)
8609 C 1INNNO=OUTREF(1BUF DIM+1)
8610 C LOCAL =OUTREF(1BUF DIM+2)
```

PAGE 9993 INOUT 5:01 PM SUN., 31 OCT., 1982

1P
S111 GO TO 9999
S112 C READ FROM OUTPUT CODE BUFFER
S113 C
S114 C 688 CALL READF(1DCB8,IERR,OUTCOD,BUFDIM+2,IEOF)
S115 999 CALL READF(1DCB8,IERR,OUTCOD,BUFDIM+1)
OTLNO=OUTCOD(BUFDIM+1)
LOCAL =OUTCOD(BUFDIM+2)
GO TO 9999
S116 C
S117 C
S118 C
S119 C
S120 C TEST FOR ERROR
S121 C
S122 1588 CONTINUE
S123 IEOF=-8
S124 9999 IF(IERR.EQ.-12) IEOF=-1
IF(IEOF.EQ.-1) RETURN
S125 IF(IERR.GE.0) RETURN
S126 WRITE(ITERM,9195) IERR
S127 9195 FORMAT("FILE ERROR",I6,". ABORT!")
S128 CALL CLOSE(1DCB7,IERR)
S129 9989 CALL CLOSE(1DCB8,IERR)
S130 IF(.NOT.OUTF) GO TO 9948
CALL LOC(1DCB8,IERR,1,IRB,1,JSEC)
S131 ITRUN=JSEC/2-1AB-1
S132 CALL CLOSE(1DCB8,IERR,ITRUN)
S133 CALL LOC(1DCB8,IERR,ITRUN)
S134 IF(IERR.LT.0) STOP 1588
S135 9948 CONTINUE
S136 CALL CLOSE(1DCB9,IERR)
S137 WRITE(ITERM,9950)
S138 9950 FORMAT("RUN COMPLETE!")
S139 STOP
S140 E N D
S141

FTN4 COMPILER: HP92060-16#92 REV. 2#26 (999423)

** NO WARNINGS ** NO ERRORS ** PROGRAM = 0#265 COMMON = 0#0000

APPENDIX B
CODE LISTING FOR THE MODIFIED READ
CODE II WITH WRAP-AROUND

<u>SUBROUTINE</u>	<u>PAGE NO.</u>
1. MRCW	B-1
2. INITW	B-3
3. ENCDW	B-7
4. GTRAN	B-12
5. CODNG	B-15
6. CODLN	B-17

PAGE #881 FTN. 4:56 PM SUN., 31 OCT. 1982

```
881      FTN4,L,T,C
882      PROGRAM HRCV
883      C
884      IMPLICIT INTEGER(A-Z)
885      C
886      C ASSUMPTIONS:
887      C   MAXIMUM LINE LENGTH=4896
888      C   MAXIMUM NUMBER OF LINES=5600
889      C   MAXIMUM INPUT RECORD SIZE=256
890      C
891      C*****LABELLED COMMON ARRAYS*****
892      C
893      COMMON/BUFF/PELBUF(1258),CDBUF(1824),STAT(1),TRANS(3,1824)
894      COMMON/HUFF/HUFF/CODE(3,186,2),CODERD(3,11)
895      C
896      C*****FILE BUFFERS*****
897      C
898      COMMON/FILES/TERM,LPFIL,IDCB87(144),IDCB88(144),IDCB89(144)
899      INTEGER TERM,LPFIL,IDCB87,IDCB88,IDCB89
900      C
901      IDC87 - PELFL
902      IDC88 - OTFL
903      IDC89 - STATFL
904      C*****LABELLED COMMON /G16BT/
905      C
906      DIMENSION MASK(116),COMASK(116),LIBIT(16),LZBIT(16)
907      COMMON /G16BT/MASK,COMASK,LIBIT,LZBIT,NBPW
908      C
909      C*****LABELLED COMMON VARIABLES*****
910      C
911      COMMON/IVAR/PELMAX,LINMAX,K
912      COMMON/PVAR/INLNNO,INLNCT,CDELCT,TCDATA,CDELV,CDDATA,
913      *      STIFBT,BUFDM,TOP,BOT,TOPREF,COLOR,INP,PMXD64
914      *      COMMON/LOGIC/DIAG,FILEND,OUTF,DONE,VRAP
915      *      LOGICAL DIAG,FILEND,OUTF,DONE,VRAP
916      C
917      DOUBLE PRECISION TCDATA,TCDEL
918      C*****END COMMON*****
919      C*****LOCAL VARIABLES*****
920      C
921      C
922      C
923      C
924      REAL CF3,CF4
925      C
926      CALL INITV
927      189 CONTINUE
928      IF((INLNNO.GT.LINMAX)) GO TO 2889
929      CALL ENCDW
930      INLNNO=INLNNO+1
931      GO TO 188
932      2889 CONTINUE
933      C
934      C REPORT COMPRESSION FACTOR, ERROR SENSITIVITY FACTOR
935      C
936      C
```

PAGE #602 MRCW 4:56 PM SUN.. 31 OCT.. 1982

2
ERRATE=FLOAT(ERRCNT)/TCDEL
#656 C
#657 C CALL FTIME(PELBUF)
#658 WRITE(ILPFIL,400) (PELBUF(1),I=1,15)
#659 WRITE(ILPFIL,202) TCDEL,TCDATA
#660 202 FORMAT('SCODED BITS = ',FB.8/
#661 202 FORMAT('CODED DATA BITS = ',FB.8)
#662 C
#663 C CF3=FLOAT(PELMAX)*FLOAT(INLNCT)/TCDEL
#664 CF4=FLOAT(PELMAX)*FLOAT(INLNCT)/TCDATA
#665 C
#666 C
#667 C WRITE(ILPFIL,2030) CF3,CF4
#668 2030 FORMAT('g(CF3) = ',FB.4/
#669 " , (CF4) = ',FB.4)
#670 C
#671 C
#672 C WRITE EOF INDICATOR ON STAT FILE & CLOSE
#673 C
#674 C STAT(1)=1
#675 C CALL WRITF(1DC89,IERR,STAT)
#676 IIF(IERR.LT.0)STOP 203
#677 C CALL CLOSE(1DC89)
#678 C
#679 4000 FORMAT(1HB,16A2)
#680 CALL CLOSE(1DC17,IERR)
#681 WRITE(TERM,5000)
#682 5000 FORMAT(' RUN COMPLETE')
#683 STOP
#684 E N D

FTN4 COMPILER: NP92#602-16#92 REV. 2026 (888423)

** NO WARNINGS ** NO ERRORS ** PROGRAM = #6235 COMMON = #6000

3

```

8881 FTNA-L,T,C
8882 C SUBROUTINE INITV
8883 C
8884 C IMPLICIT INTEGER(A-Z)
8885 C
8886 C *****LABELED COMMON ARRAYS*****
8887 C
8888 C COMMON/BUFF/PELBUF(258),CDBUF(1024),STAT(1),TRANS(3,1024)
8889 C COMMON/HUFF/CODE(3,105,2),CODER(3,11)
8890 C
8891 C *****FILE BUFFERS*****
8892 C
8893 C COMMON/FILES/TERM,LFFIL,IDCB7(144),IDCB8(144),IDCB9(144)
8894 C INTEGER TERM,LFFIL,IDCB7,IDCB8,IDCB9
8895 C
8896 C IDC87 - PELFIL
8897 C IDC88 - OUTFL
8898 C IDC89 - STATFL
8899 C
8900 C *****LABELED COMMON /G16BT/ *****
8901 C
8902 C DIMENSION MASK(16),COMASK(16),LIBIT(16),LZBIT(16)
8903 C COMMON /G16BT/MASK,COMASK,LIBIT,LZBIT,NBPF
8904 C
8905 C *****LABELED COMMON VARIABLES*****
8906 C
8907 C COMMON/IVAR/PELMAX,LINMAX,K
8908 C COMMON/PVAR/INLNO,INLCT,CDELCT,TCDATA,TCDEL,CDELW,CDDATA,
8909 C * STFBIT,BUFDIM,TOP,BOT,TPREF,COLOR,INP,PMXD64
8910 C COMMON/LOGIC/DIAG,FILEND,OUTF,DONE,WRAP
8911 C LOGICAL DIAG,FILEND,OUTF,DONE,WRAP
8912 C
8913 C DOUBLE PRECISION TCDATA,TCDEL
8914 C
8915 C *****END COMMON*****
8916 C
8917 C *****FILE PARAMETERS*****
8918 C
8919 C
8920 C DIMENSION LINE(80),IBUF(10),ITBUF(15),NMBUF(3)
8921 C EQUIVALENCE(IBUF,FNAME),(IBUF(5),ISECU),(IBUF(6),ICR)
8922 C
8923 C DATA LINE/80*2H/,LEN/80/,ISTRC/1/
8924 C *****BEGIN PROGRAM*****
8925 C
8926 C GET INPUT IMAGE FILE NAME AND OPEN
8927 C
8928 C CALL GETST(LINE,LEN,1DUM)
8929 C CALL NAME(IBUF,LINE,2*DUM,ISTRC)
8930 C CALL OPEN(IDCB7,JERR,FWAH,B,ISECU,ICR)
8931 C IF(JERR.LT.0)STOP 8881
8932 C
8933 C GET OUTPUT IMAGE FILE NAME AND OPEN

```

PAGE #552 INITV 4:57 PM SUN.. 31 OCT.. 1982

4

#556 C CALL NAME(1IBUF,LINE,2*IIDUM,ISTRC)
#557 CALL OPEN(1DCB8,IERR,FNAM,&,ISECU,ICR)
IF(IERR,GE,0) GO TO 5

#558 C ****
#559 C ****
#560 C ****
#561 C ****
#562 C IF NO OUTPUT FILE
#563 C THEN NO ERROR INSERTION
#564 C AND
#565 C NO ERROR COMPARISON (ERRMS)
#566 C AND
#567 C NO INPUT LINE NUMBER OR PEL COUNT USED/REQUIRED
#568 C ELSE ERROR INSERTION OPTIONAL

#570 C ****
#571 C NO OUTPUT FILE
#572 C NO OUTPUT FILE
#573 C OUTF=.FALSE.
#574 C WRITE(ITERM,6)
#575 C 6 FORMAT("NO OUTPUT FILE SPECIFIED.")
#576 C GET SCRATCH FILE NAME & OPEN
#577 C GET SCRATCH FILE NAME & OPEN
#578 C GET SCRATCH FILE NAME & OPEN
#579 C *****
#580 C 5 CALL NAME(1IBUF,LINE,2*IIDUM,ISTRC)
#581 CALL OPEN(1DCB9,IERR,FNAM,&,ISECU,ICR)
#582 IF(IERR,LT,0)STOP #553
#583 C *****
#584 C READ INPUT RECORD SIZE
#585 C *****
#586 C 2# WRITE(ITERM,3B)
#587 3# FORMAT("ENTER INPUT RECORD SIZE: ")
#588 READ(ITERM,*) BUFDIM
#589 IF(BUFDIM,GE,0,AND,BUFDIM,LE,256) GO TO 114
#590 WRITE(ITERM,15B) BUFDIM
#591 GO TO 2#
#592 C READ DIAGNOSTIC SWITCH
#593 C *****
#594 C 114 WRITE(ITERM,115)
#595 115 FORMAT("DIAGNOSTIC PRINTOUT? (Y OR N): ")
#596 READ(ITERM,116) INSW
#597 116 FORMAT(A1)
#598 IF(INSW,EO,2HY) GO TO 116
#599 IF(INSW,EO,2HN) GO TO 120
#600 IF(INSW,EO,2H) GO TO 114
#601 GO TO 114
#602 116 CONTINUE
#603 DIAG=.TRUE.
#604 C READ MAXIMUM NUMBER OF PELS PER LINE
#605 C *****
#606 C 12# CONTINUE
#607 12# WRITE(ITERM,13B)
#608 13# FORMAT("ENTER MAXIMUM NUMBER OF PELS PER LINE: ")
#609 READ(ITERM,*) PELMAX
#610

PAGE #553 INITW 4:57 PM SUN.. 31 OCT.. 1982

5

```
14# FORMAT(1A)
S112 IF(MOD(PELMAX,64).NE.0) GO TO 145
S113 IF(PELMAX.GE.1.AND.PELMAX.LE.4896) GO TO 32#
S114 145 WRITE(TERM,16#) PELMAX
S115 15# FORMAT("NUMBER OUT OF RANGE (",16,")")
S116 GO TO 12#
S117 C READ NUMBER OF SCAN LINES TO BE PROCESSED
S118 C
S119 C
S120 32# CONTINUE
S121 WRITE(TERM,33#)
S122 33# FORMAT("NUMBER OF SCAN LINES TO BE PROCESSED? ")
S123 READ(TERM,*) LINMAX
S124 IF(LINMAX.GE.1.AND.LINMAX.LE.5688) GO TO 35#
S125 WRITE(TERM,16#) LINMAX
S126 GO TO 32#
S127 35# CONTINUE
S128 C READ INPUT IMAGE NAME
S129 C
S130 C
S131 36# FORMAT(*ENTER INPUT IMAGE NAME,*)
S132 READ(TERM,36#) NMBUF
S133 36# FORMAT(3A2)
S134 365 FORMAT(3A2)
S135 C WRITE INPUT PARAMETERS
S136 CALL FTIME(LTBUF)
S137 WRITE(LLPPFIL,37#) LTBUF
S138 37# FORMAT(H8,15A2)
S139 WRITE(LLPPFIL,38#) NMBUF
S140 38# FORMAT("IMAGE NAME - "3A2)
S141 C
S142 WRITE(LLPPFIL,48#) PELMAX,LINMAX,BUFDIM
S143 48# FORMAT("INPUT PARAMETERS: /"
S144 *      MAXIMUM NUMBER OF PELS PER LINE=",16/"
S145 *      NUMBER OF SCAN LINES TO BE PROCESSED =",16/
S146 *      RECORD SIZE =",14")
S147 WRITE(LLPPFIL,41#)
S148 41# FORMAT("NO ERRORS INSERTED")
S149 C***** BEGIN PROGRAM *****
S150 C
S151 C INITIALIZE
S152 C
S153 WRAP=TRUE.
S154 I1LNO=1
S155 PHXDE4=PELMAX/64
S156 INELCT=PELMAX
S157 CDELCT=BPV
S158 COELP=NPBV+1
S159 DO 85# I=1,BUFDIM#4
S160 CDABF(I)=0
S161 85# CONTINUE
S162 DO 85# I=1,BUFDIM
S163 PELBUF(I)=0
S164 85# CONTINUE
S165 C
```

PAGE 8884 INITW 4:57 PM SUN., 31 OCT., 1982

\$166 C FILL TRANSITIONS LIST
\$167 C
\$168 DONE=.FALSE.
\$169 TOP=1
\$170 BOT=1
\$171 JNP-\$
\$172 DO 1999 I=1,1929
\$173 IF(DONE) GO TO 1919
\$174 CALL GTRAN
\$175 IF(BOT.EQ.TOP) STOP 1999
\$176 1999 CONTINUE
\$177 1919 CONTINUE
\$178 RETURN
\$179 END

FTNA COMPILER: HP92068-16#92 REV. 2026 (888423)

** NO WARNINGS ** NO ERRORS ** PROGRAM = \$S729 COMMON = \$0000

PAGE #551 FTN. 4:56 PM SUN., 31 OCT. 1982

```

5511      FTN4,L,T,C
5512      SUBROUTINE ENCDW
5513      C      IMPLICIT INTEGER (A-Z)
5514      C*****LABELLED COMMON ARRAYS*****
5515      C      COMMON/BUFF /PELBUF (258),CDBUF (1024),STAT(1),TRANS(3,1024)
5516      C      COMMON/BUFF /PELBUF (258),CDBUF (1024),STAT(1),TRANS(3,1024)
5517      C      COMMON/BUFF /PELBUF (258),CDBUF (1024),STAT(1),TRANS(3,1024)
5518      C      COMMON/BUFF /PELBUF (258),CDBUF (1024),STAT(1),TRANS(3,1024)
5519      C      COMMON/BUFF /PELBUF (258),CDBUF (1024),STAT(1),TRANS(3,1024)
5520      C*****LABELLED COMMON /G16BT/ *****
5521      C      DIMENSION MASK(16),COMASK(16),LIBIT(16),LZBIT(16)
5522      C      COMMON /G16BT/MASK,COMASK,LIBIT,LZBIT,NBPW
5523      C*****LABELLED COMMON VARIABLES*****
5524      C      COMMON /TOPREF/COLOR,INP,PMXD64
5525      C*****LABELLED COMMON VARIABLES*****
5526      C      COMMON/IVAR/PELMAX,LINMAX,K
5527      C      COMMON/PVAR/INLNO,INLCT,CDELCT,TCDATA,TCDEL,CDELW,CDDATA,
5528      C      COMMON/SFTBIT,BUFIN,TOP,BOT,TOPREF,COLOR,INP,PMXD64
5529      C      COMMON/LOGIC/DIAG,FILEND,OUTF,DONE,WRAP
5530      C      LOGICAL DIAG,FILEND,OUTF,DONE,WRAP
5531      C      DOUBLE PRECISION TCDATA,TCDEL
5532      C      DOUBLE PRECISION TCDEL,TCDEL
5533      C*****END COMMON *****
5534      C*****BEGIN PROGRAM *****
5535      C
5536      C
5537      C
5538      C      INCHD(IX)=MOD(IX+1024,1024)+1
5539      C      DIFF(IA,IB,ILA,ILB)=(ILA-ILB)*PELMAX+IA-18
5540      C      DIFW(IA,IB,ILA,ILB)=(ILA-ILB)*PELMAX+IA-18
5541      C
5542      C      INITAIL VARIABLES
5543      C
5544      C      CDELCT=NBPW
5545      C      CDDATA=S
5546      C      DO 5# 1=2,BUFDIM*4
5547      C      CDBUF (1)=S
5548      C      5# CONTINUE
5549      C
5550      C      IF (INLNO.NE.1) GO TO 600
5551      C
5552      C      ONE-DIMENSIONAL CODING
5553      C
5554      C      WRITE ONE EOL
5555      C

```

PAGE #882 ENCDW 4:56 PM SUN., 31 OCT., 1982

8856 CALL CODNG(1B,B)
8857 TBI=TOP
8858 POLAR=1
8859 A=1
8860 LA=1
8861 LB=1
8862 C CALCULATE RUNLENGTH AND ENCODE
8863 C
8864 C 15# CONTINUE
8865 C B-TRANS(2, TOP)
8866 C TEST FOR END OF LINE
8867 C
8868 C TEST FOR END OF LINE
8869 C IF(TRANS(1, TOP).GT.INNNO) B=PELMAX+1
8870 CALL CODLN(B-A,LB-LA,POLAR)
8871 RUN=B-A
8872 IF(DIAG) WRITE(TERM,16#) RUN,POLAR,CDDATA
8873 16# FORMAT(8I8)
8874
8875 C UPDATE OLD RUN END AND POLARITY
8876 C
8877 C
8878 A=B
8879 POLAR=TRANS(3, TOP)+1
8880 C TEST FOR END OF LINE
8881 C
8882 C IF(A.GT.PELMAX) GO TO 1888
8883 C
8884 C
8885 C INCREMENT TOP
8886 C
8887 TOP=INCMD(TOP)
8888 IF(TOP.EQ.BOT) STOP 16#
8889 IF(.NOT.DONE.AND.INCUD(BOT).NE.TBI) CALL GTRAN
8890 GO TO 15#
8891 C TWO-DIMENSIONAL CODING
8892 C
8893 C
8894 C 68# CONTINUE
8895 STFBIT=STFBIT+1
8896 C
8897 C IF PREVIOUS LINE IS ONE-DIMENSIONAL, WRITE ONE EOL2
8898 C
8899 CALL CODNG(11,B)
8900 C SET AB TO LEFT EDGE-1
8901 C
8902 C AB-B
8903 LA-B
8904 LB=2
8905 TAI=TOP
8906 POLAR=1
8907 GO TO 62#
8908 C
8909 C INITIIZE CODE LINE POINTERS
8910 C

PAGE #553 ENCDW 4:56 PM SUN.. 31 OCT., 1982

611^B CONTINUE
CDELCT-NBPV
CDDATA-B
DO 615 I=2,BUFDIM^A
CDBUF(I1)-B
615 CONTINUE
616 C DETECT A1
617 C
618 C
619 C
620 CONTINUE
621 A1-TRANS(1,TAI)
622 LAI-TRANS(1,TAI)
623 IF(LAI.GT.LIMAX) LAI-LIMAX
624 C
625 C DETECT B1
626 C
627 655 CONTINUE
628 B1-TRANS(2,TB1)
629 LB1=TRANS(1,TB1)
630 IF(B1.GT.PELMAX) GO TO 79B
631 IF(LB1.GE.LAB) GO TO 656
632 IF((LB1+1).EQ.LAB.AND.B1.GT.AB) GO TO 655
633 GO TO 65B
634 C
635 C B1 TO RIGHT OF AB TEST FOR OPPOSITE POLARITY
636 C
637 655 IF(TRANS(3,TB1)+1.NE.POLAR) GO TO 67B
638 C
639 C SAME COLOR LOOK AT NEXT TRANSITION
640 C
641 66B TB1=INCHD(TB1)
642 GO TO 65B
643 C
644 C HAVE B1
645 C
646 67B CONTINUE
647 C
648 C DETECT B2
649 C
650 C
651 C
652 C
653 C
654 C
655 C
656 C
657 C
658 C
659 C
660 C
661 C TEST FOR PASS MODE
662 C
663 C
664 C
665 C

PAGE #884 ENCDW 4:56 PM SUN., 31 OCT. 1982

S166 C PASS MODE CODING (CAN'T END A LINE IN PASS MODE; NEW AB MUST HAVE
S167 C SAME POLARITY AS B2)

S168 C CALL CODNG(1, #)

S169 AB=82

S170 LA8=LB2+1

S171 TB1=TB2

S172 GO TO 628

S173 755 CONTINUE

S174 C

S175 C IF((IABS(LAI)-(LB1+1)).GT.1) GO TO 799

S176 MAB=IABS(DIFF(A1,B1,LAI,LB1))

S177 IF(DIAG)WRITE(LLPFL,165) A1,B1,LAI,LB1,MAB

S178 IF(MAB=3) 835,835,799

S179 C

S180 C CODE BY HORIZONTAL MODE; FIRST DETECT A2

S181 C

S182 C 799 CONTINUE

S183 IF(A1.GT.PELMAX) GO TO 888

S184 TA2=INCMD(TA1)

S185 S186 A2=TRANS(2,TA2)

S187 TA2=TRANS(1,TA2)

S188 IF((LA2.GT.LINMAX) LA2=LINMAX

S189 GO TO 818

S190 888 CONTINUE

S191 A2=PELMAX+1

S192 LA2=LAI

S193 TA2=TA1

S194 818 CONTINUE

S195 IF((IMLNNO.EQ.2.AND.AB.EQ.#) AB=1

S196 CALL CODNG(2,POLAR)

S197 IF(DIAG)WRITE(LLPFL,165) AB,A1,A2,LAI,LA2,POLAR

S198 CALL CODLN(A1-AB,LAI-LAB,POLAR)

S199 NEWPOL=MOD(POLAR+2,2)+1

S200 CALL CODLN(A2-A1,LA2-LAI,NEWPOL)

AB=A2

LA8=LA2

TOP=TA2

S201 IF(I.NOT.DONE.AND.INCMD(BOT).NE.TB1) CALL GTRAN

S202 IF(I.NOT.DONE.AND.INCMD(BOT).NE.TB1) CALL GTRAN

S203 GO TO 968

S204 C

S205 C CODE BY VERTICAL MODE

S206 S35 CONTINUE

S207 AIMBI=DIFF(A1,B1,LAI,LB1)

S208 IF(AIMBI) 858,848,849

S209 C

S210 848 CALL CODNG(AIMBI+3,#)

S211 GO TO 958

S212 CONTINUE

S213 858 AIMBI=DIFN(B1,A1,LB1,LAI)

S214 CALL CODNG(BIMAI+6,#)

S215 CONTINUE

S216 AB=A1

S217

S218

S219

PAGE #9995 ENCDW 4:56 PM SUN., 31 OCT.. 1982

11

```
#221      LAB=LAI
#222      TOP=TAI
#223      IF(L.NOT.DONE.AND.INCHD(BOT).NE.TBI) CALL GTRAN
#224      C TEST FOR END OF LINE
#225      C
#226      C
#227      965 CONTINUE
#228      POLAR=TRANS(3,TOP)+1
#229      TAI=INCHD(TOP)
#230      IF(TRANS(1,TOP).LE.INLMMO) GO TO 62#
#231      C
#232      C LINE FINISHED
#233      C
#234      INLMMO=TRANS(1,TOP)
#235      18899 CONTINUE
#236      C SAVE LINE LENGTH (DATA BITS ONLY)
#237      C STAT(1)=CDDATA
#238      CALL WRITF(1DCB9,IERR,STAT)
#239      IF(IERR.LT.0)STOP 389
#240      C
#241      C COMPUTE STATISTICS
#242      C
#243      C
#244      3999 CONTINUE
#245      TCDEL=TCDEL+CDELCT-NBPV
#246      TCDATA=TCDATA+CDDATA
#247      C
#248      IF (L.NOT.DIAG) GO TO 468
#249      CDELV=(CDELCT+NBPV-1)/NBPV
#250      WRITE(ILPFIL,459) (CDBUF(I),I=1,CDELV)
#251      459 FORMAT(100I2)
#252      468 CONTINUE
#253      C
#254      C TEST FOR END OF FILE
#255      C
#256      IF(LINLMMO.GT.1.AND.INLMMO.LT.32000) GO TO 61#
#257      RETURN
#258      C
#259      C E N D
#260      C
```

FTN4 COMPILER: HP92068-16992 REV. 2526 (1888423)

** NO WARNINGS ** NO ERRORS ** PROGRAM = 99949 COMMON = #00000

PAGE 8881 FTMN. 4:57 PM SUN.. 31 OCT.. 1982

12

```
8881      FTN4,L,T,C
8882      SUBROUTINE GTRAN
8883      C   RETURNS ONE TRANSITION AT EACH CALL
8884      C
8885      C   IMPLICIT INTEGER(A-Z)
8886      C
8887      C*****LABELLED COMMON ARRAYS*****
8888      C
8889      C   COMMON/BUFF/PELBUF(258),CDBUF(1024),STAT(1),TRANS(3,1024)
8890      C   COMMON/HUFF/CODE(3,105,2),CODERD(3,11)
8891      C
8892      C*****FILE BUFFERS*****
8893      C
8894      C   COMMON/FILES/TERM,LPFIL,IDCB7(144),IDCB8(144),IDCB9(144)
8895      C   INTEGER TERM,LPFIL,IDCB7,IDCB8,IDCB9
8896      C
8897      C   IDC87 - PELFIL
8898      C   IDC88 - OTFIL
8899      C   IDC89 - STATFIL
8900      C
8901      C*****LABELLED COMMON /G16BT/ *****
8902      C
8903      C   DIMENSION MASK(16),COMASK(16),LIBIT(16),LZBIT(16)
8904      C   COMMON /G16BT/MASK,COMASK,LIBIT,LZBIT,NBPW
8905      C
8906      C*****LABELLED COMMON VARIABLES*****
8907      C
8908      C   COMMON/IVAR/PELMAX,K
8909      C   COMMON/PVAR/INLND,INLNC,INLCT,TCDELT,TCDATA,TCDEL,COELM,COOLTA,
8910      C   *           STFBIT,BUFH,TOP,BOT,TPREF,COLOR,INP,PMXD64
8911      C   COMMON/LOGIC/DIAG,FILEND,OUT,DONE,WRAP
8912      C   LOGICAL DIAG,FILEND,OUT,DONE,WRAP
8913      C
8914      C   DOUBLE PRECISION TCDATA,TCDEL
8915      C
8916      C*****END COMMON*****
8917      C
8918      C   INCHD(IIX)=MOD(IIX+1024)+1
8919      C*****BEGIN PROGRAM *****
8920      C
8921      C
8922      C   LINE AVAILABLE?
8923      C
8924      C   100 CONTINUE
8925      C   100 IF(LIMP) 110,200,300
8926      C   110 STOP 100
8927      C
8928      C   NO          READ NEXT SCAN LINE
8929      C
8930      C
8931      C   200 CONTINUE
8932      C   CALL READF(IDCB7,IERR,PELBUF,BUFDIM,LEN)
8933      C   IF(IERR.EQ.-12.OR.LEN.EQ.-1) GO TO 260
8934      C   IF(IERR.LT.0) STOP 200
8935      C   IF(INLNC.GE.LINMAX) GO TO 260
```

PAGE #882 CTRAN 4:57 PM SUN., 31 OCT., 1982

```

#8856      INITCT=INITCT+1
#8857      IF(WRAP) GO TO 26#
#8858      C STORE REFERENCE TRANSITION
#8859      C
#8860      C TRANS(1,BOT)=INITCT
#8861      C TRANS(2,BOT)=#
#8862      C TRANS(3,BOT)=#
#8863      C IF(DIAG) WRITE(1,PFIL,588) TRANS(1,BOT),TRANS(2,BOT),TRANS(3,BOT),BOT
#8864      C
#8865      C BOT=INCHD(BOT)
#8866      C COLOR=#
#8867      C IMP=1
#8868      C RETURN
#8869      C EOF      STORE FINAL TRANSITION WITH MAX LINE NO. AT & AND WHITE
#8870      C SET DONE FLAG
#8871      C
#8872      C 25# CONTINUE
#8873      C DONE=TRUE
#8874      C TRANS(1,BOT)=32555
#8875      C TRANS(2,BOT)=PELMAX+1
#8876      C TRANS(3,BOT)=#
#8877      C TRANS(3,BOT)=#
#8878      C IF(DIAG) WRITE(1,PFIL,588) TRANS(1,BOT),TRANS(2,BOT),TRANS(3,BOT),BOT
#8879      C
#8880      C BOT=INCHD(BOT)
#8881      C RETURN
#8882      C 26# IMP=1
#8883      C LINE AVAILABLE TEST FOR BEGINNING OF WORD
#8884      C
#8885      C 30# CONTINUE
#8886      C IF((IMP.GT.PELMAX)) GO TO 78#
#8887      C IF(MOD((IMP-1),MBPW)) 118,35#,48#
#8888      C
#8889      C AT BEGINNING OF WORD TEST FOR COLOR CHANGE
#8890      C
#8891      C 35# CONTINUE
#8892      C PEL=148(PELBUF,IMP,1)
#8893      C IF(PEL.NE.COLOR) GO TO 42#
#8894      C WORD=(IMP-NBPW-1)/NBPW
#8895      C GO TO (36#,37#) COLOR+1
#8896      C IF(PELBUF(WORD)) 488,388,488
#8897      C 37# IF(PELBUF(WORD).NE.-1) GO TO 48#
#8898      C
#8899      C WORD ALL BLACK OR ALL WHITE
#8900      C
#8901      C 38# CONTINUE
#8902      C IMP=IMP+16
#8903      C IF((IMP.LE.PELMAX)) GO TO 35#
#8904      C GO TO 78#
#8905      C
#8906      C NOT AT BEGINNING OF WORD OR NOT ALL ONE COLOR
#8907      C 49# CONTINUE
#8908      C PEL=148(PELBUF,IMP,1)
#8909      C IF(PEL.NE.COLOR) GO TO 42#
#8910      C IMP=IMP+1

```

PAGE 8993 CSTRAN 4:57 PM SUN.. 31 OCT.. 1982

S111 IF(IMP.LE.PELMAX) GO TO 399
S112 GO TO 788
S113 C
S114 C HAVE A TRANSITION
S115 C
S116 428 CONTINUE
S117 COLOR=PEL
TRANS(1,BOT)=INLNCT
S118 TRANS(1,BOT)=IMP
TRANS(2,BOT)=IMP
TRANS(3,BOT)=COLOR
S119 IF(DIAG) WRITE(ILPFIL,598) TRANS(1,BOT),TRANS(2,BOT),BOT
S120 IF(DIAG) WRITE(ILPFIL,599) TRANS(1,BOT),TRANS(2,BOT),BOT
S121 S122 599 FORMAT(4I8)
S123 C
S124 C INCREMENT BOT POINTER
S125 C
S126 BOT=INCHD(BOT)
S127 IMP=IMP+1
S128 RETURN
S129 C ADD END-OF-LINE TRANSITION
S130 C
S131 C
S132 788 CONTINUE
S133 IF(WRAP) GO TO 288
S134 TRANS(1,BOT)=INLNCT
S135 TRANS(2,BOT)=PELMAX+1
S136 TRANS(3,BOT)=9
S137 IMP=9
S138 IF(DIAG) WRITE(ILPFIL,598) TRANS(1,BOT),TRANS(2,BOT),BOT
S139 BOT=INCHD(BOT)
S140 RETURN
S141 E N D

FTN4 COMPILER: HP92066-16992 REV. 2826 (888423)

** NO WARNINGS ** NO ERRORS ** PROGRAM = 89916 COMMON = 88888

PAGE 8881 FTN. 4:57 PM SUN. 31 OCT.. 1982

```
8881      FTN4,L,T,C CODNC(MODE,POLAR)
8882      C
8883      C IMPLICIT INTEGER(1-Z)
8884      C
8885      C*****=LABELLED COMMON ARRAYS*****
8886      C
8887      C COMMON/BUFF /PELBUF(158),CDBUF(1524),STAT(1),TRANS(3,1524)
8888      C COMMON/HUFF /CODE(3,105,2),CODERD(3,11)
8889      C
8890      C*****FILE BUFFERS*****
8891      C
8892      C COMMON/FILES/TERM,LFFIL, IDC87(144),IDC88(144),IDC89(144)
8893      C
8894      C
8895      C
8896      C
8897      C
8898      C
8899      C
8900      C
8901      C
8902      C
8903      C
8904      C
8905      C
8906      C
8907      C
8908      C
8909      C
8910      C
8911      C
8912      C
8913      C
8914      C
8915      C
8916      C
8917      C
8918      C
8919      C
8920      C*****LABELLED COMMON /G16BT/ *****
8921      C
8922      C DIMENSION MASK(16),COMASK(16),LIBIT(16),L2BIT(16)
8923      C COMMON /G16BT/MASK,COMASK,LIBIT,L2BIT,NBPU
8924      C
8925      C*****LABELLED COMMON VARIABLES*****
8926      C
8927      C COMMON/IVAR/PELMAX,LINMAX,K
8928      C COMMON/PVAR/INLMO,INLNCT,CDELCI,TCDATA,TCDEL,CDELV,CDDATA,
8929      C
8930      C
8931      C
8932      C
8933      C
8934      C
8935      C
8936      C
8937      C
8938      C
8939      C***** BEGIN PROGRAM *****
8940      C
8941      C CALL M12B(CODERD(3,MODE),CDBUF,CDELCJ+1,CODERD(1,MODE))
8942      C CDELCJ-CDELCI+CODERD(1,MODE)
8943      C GO TO (189,208,102,188,188,188,188,188,188,188,188,188,188,188,188,188) , MODE
8944      C
8945      C MODE 1 2 3 4 5 6 7 8 9 10 11
8946      C
8947      C PASS MODE(1), VERTICAL MODE,A181=8(3),A181=1(4,7),=2(5,8),=3(6,9)
8948      C
8949      C 189 CONTINUE
8950      C CDDATA=CDDATA+CODERD(1,MODE)
8951      C RETURN
8952      C
8953      C HORIZONTAL MODE(2)
8954      C
8955      C 208 CONTINUE
```

PAGE #882 CODING 4:57 PM SUN.. 31 OCT., 1982

```
      CDDATA=CDDATA+CDDERD(1,MODE)
#856      RETURN
#857
#858      C      ADD EOL1 OR EOL2 TO LINE (1/#,11)
#859      C
#860      C      ADD EOL1 OR EOL2 TO LINE (1/#,11)
#861      C      CONTINUE
#862      C      RETURN
#863      END
```

FTN4 COMPILER: HP9296B-16892 REV. 2026 (888423)

** NO WARNINGS ** NO ERRORS ** PROGRAM = #8882

COMMON = #8888

PAGE #883 FTH. 12:26 PM WED., 3 NOV. 1982

```
      SUBROUTINE CODLN(AMB,LAMLB,POLAR)
      IMPLICIT INTEGER(A-Z)
      COMMON//LABELLED COMMON ARRAYS*****
      COMMON/BUFF /PELBUF(128),CDBUF(1024),STAT(1),TRANS(3,1024)
      COMMON/HUFF /CODE(3,195,2),CODER(3,11)
      COMMON//FILE BUFFERS*****
      COMMON/FILES/TERM,LPFIL, IDC87, IDC88, IDC89(144),
      INTEGER TERM,LPFIL, IDC87, IDC88, IDC89(144)
      IDC87 - PELFIL
      IDC88 - OTFIL
      IDC89 - STATFL
      *****LABELLED COMMON /G16BT/ *****
      9981 C
      9982 C
      9983 C
      9984 C DIMENSION MASK(16),COMASK(16),LIBIT(16),LZBIT(16)
      9985 C COMMON /G16BT/MASK,COMASK,LIGHT,LZBIT,NBPV
      9986 C *****LABELLED COMMON VARIABLES*****
      9987 C
      9988 C COMMON/IVAR/PELMAX,LINMAX,K
      9989 C COMMON/PVAR/INLNNO,INLNCT,CDELC,TCDATA,TCDEL,CDELV,CDDATA,
      9990 C *           STFBIN,BUFIN,TOP,BOT,TOPREF,COLOR,INP,PMXD64
      9991 C *           COMMON/LOGIC/DIAG,FILEND,OUTF,DONE,WRAP
      9992 C *           LOGICAL,DIAG,FILEND,OUTF,DONE,WRAP
      9993 C
      9994 C DOUBLE PRECISION TCDATA,TCDEL
      9995 C *****END COMMON*****
      9996 C
      9997 C
      9998 C
      9999 C INTEGER LENGTH,POLAR,INDEX,DEX,CODESW,TCODE,TLENG
      9999 C INTEGER AMB,LAMLB,PMXD64
      S1001 C *****BEGIN PROGRAM *****
      S1002 C
      S1003 C
      S1004 C CHECK INPUTS
      S1005 C IF(POLAR.LT.1.OR.POLAR.GT.2) STOP 3333
      S1006 C LENGTH=64
      S1007 C IF(LAMLB.LT.2) LENGTH=LAMLB*PELMAX+AMB
      S1008 C
      S1009 C
      S1010 C IF(LENGTH.LE.63) GO TO 49
      S1011 C
      S1012 C ATTACK LONG RUN IN PIECES
      S1013 C
      S1014 C IND256=S
      S1015 C IF(LAMLB.LE.257) GO TO 15
      S1016 C LAMLB=LAMLB-256
      S1017 C DEX=104
      S1018 C IND256=256*PMXD64+IND256
```

PAGE #8884 CODLN 12:26 PM WED., 3 NOV., 1982

```
8119    1B  IF((IND256.LE.48) GO TO 5
8120    IND256=1ND256-48
8121    ASSIGN 1B TO CODESW
8122    GO TO 1880
8123    15 CONTINUE
8124    C   CALCULATE MAKE UP CODE INDEX
8125    C   INDEX=(LAMLB-1)*PMXD64+(AMB+PELMAX)/64+64+IND256
8126    C   28  IF(INDEX.LE.184) GO TO 38
8127    INDEX=INDEX-48
8128    DEX=184
8129    INDEX-INDEX-48
8130    DEX=184
8131    ASSIGN 28 TO CODESW
8132    IF(DIAG) WRITE(TERM,25)CODESW,DEX,POLAR
8133    FORMAT(28 CODESW ="316")
8134    GO TO 1888
8135    38  DEX - INDEX
8136    ASSIGN 48 TO CODESW
8137    D   IF(DIAG) WRITE(TERM,35)CODESW,DEX,POLAR
8138    FORMAT(1-38 CODESW ="316")
8139    GO TO 1888
8140    C   CALCULATE TERMINATING CODE INDEX
8141    C   INDEX=(LAMLB+PELMAX,64)+1
8142    C   48  DEX-MOD(AMB+PELMAX,64)+1
8143    ASSIGN 68 TO CODESW
8144    IF(DIAG) WRITE(TERM,45)CODESW,DEX,POLAR
8145    D   FORMAT(1-48 CODESW ="316")
8146    D45  GO TO 1888
8147    GO TO 1888
8148    68 RETURN
8149    C   CODE LOOK-UP AND INSERTION ROUTINE
8150    C   1888 CONTINUE
8151    C   TCODE=CODE(3,DEX,POLAR)
8152    TLENG=CODE(1,DEX,POLAR)
8153    D   IF(DIAG) WRITE(TERM,1885) CODE(1,DEX,POLAR)
8154    D1885 FORMAT(1 WORD LENGTH = "16")
8155    CALL M128(TCODE,CDBUF,CDELCT+1,TLENG)
8156    CDELCT=CDELCT+TLENG
8157    CDBUF=CDDATA+TLENG
8158    CDDATA=CDDATA+TLENG
8159    C   GO TO CODESW,118,28,4N,68)
8160    C   END
8161
8162
```

FTN4 COMPILER: HP92E65-16892 REV. 2526 (888423)

** NO WARNINGS ** NO ERRORS ** PROGRAM = 888106 COMMON = 88888